Digital Surrogate of NARA Original Record - NND 927605

DECK LOG—TITLE PAGE
NAVPERS 137 (REV. 4-52)

RESTRICTED—SECURITY INFORMATION

LOG BOOK

OF THE

U. S. S. ABBOT

DD629
IDENTIFICATION NUMBER

COMMANDED BY

Robert M. POND, Commander, U. S. N.

Attached to 102 Division,
10 Squadron,
Second Flotilla,
Atlantic Fleet,

Commencing 0001 1 December, 1958,

at Newport, Rhode Island,

and ending 2400 31 December, 1958,

at Newport, Rhode Island

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE 16—44299-5

RESTRICTED—SECURITY INFORMATION

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT PD-629 ZONE DESCRIPTION +5 R DATE 1 DEC 19 58

AT/~~PASSAGE FROM~~ NEWPORT, R.I ~~TO~~

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	010	10	6	CLR	30.30	35	35						
02	010	10	6	CLR	30.30	33	32						
03	010	10	6	CLR	30.31	31	31						
04	360	10	6	CLR	30.33	31	31						
05	000	10	6	CLR	30.33	31	30						
06	000	10	6	CLR	30.33	30	30						
07	000	8	6	CLR	30.34	31	31						
08	060	8	10	CLR	30.33	33	33						
09	085	8	10	CLR	30.34	34	34						
10	085	9	13	CLR	30.32	36	35						
11	085	9	14	CLR	30.30	37	37						
12	085	10	15	CLR	30.26	38	38						
13	090	5	8	ovc	30.22	40	40						
14	090	3	8	S	30.14	44	44						
15	090	3	8	S	30.10	45	45						
16	090	3	8	S	30.02	45	46						
17	090	3	8	S	29.98	47	47						
18	090	3	8	ovc	29.92	49	48						
19	090	3	9	ovc	29.90	49	48						
20	090	3	8	ovc	29.74	45	55						
21	180	6	6	ovc	29.62	57	57						
22	190	7	6	ovc	29.54	60	60						
23	180	8	5	ovc	29.46	61	61						
24	270	35	5	ovc	29.50	59	59						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction (True)	Speed (True)		Present	Past	Barometer Corrected		Amount of Clouds C_L (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
In Port

FUEL CONSUMED
0000-2400
In Port

EXAMINED Robert L Stalls U. S. N. NAVIGATOR


☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605



Digital Surrogate of NARA Original Record - NND 927605



Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Monday (Day) 1 (Date) DEC (Month) 19 58

SMOOTH REMARKS—CONTINUED

00-04 Moored starboard side to USS CASCADE (AD16) with standard mooring lines in berth 152, Newport, R.I. in a nest of four ships. Ships in nest from starboard to port are CASCADE, ABBOT, USS BENHAM (DD796) and USS HUNT (DD674). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). Storm condition three is set.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

04-08 Moored as before. 0745 Mustered the crew at quarters, absentees: HALEY J.J., 479 77 14, SA, USN, UA since 0730, 29 November 1958.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

08-12 Moored as before. 0830 Set the special sea detail. 1005 Made daily inspection of magazines and smokeless powder samples. Conditions normal. 1051 Underway for Prudence Island to transfer ammunition. Maneuvering at various courses and speeds to clear pier 1. 1101 Base course 000, speed 10 knots. 1121 Maneuvering at various courses and speeds to go alongside the ammunition pier on Prudence Island. 1124 Moored port side to ammunition pier at Prudence Island with standard destroyer mooring lines. 1132 Secured the special sea detail. 1150 Commenced unloading and loading ammunition. 1156 Cancel ~~storm~~ storm condition three.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

12-16 Moored as before. 1420 Completed transfer of ammunition having off loaded 75 5"/38 AAC projectiles, 190 5"/38 VTF, 100 5"/38 common projectiles, 128 cases ~~of~~ SPDN powder, 721 rounds of 3"/50 VTF, 100 7" hedgehogs and 96 MK 158 MOD 0 fuzes. Ammunition loaded was 60 5"/38 BL&T projectiles, 100 5"/38 common projectiles, 192 5"/38 VTNF projectiles, 600 rounds of 3"/50 VTNF, 50 M3A2 offensive grenades, 50 M206 A2 grenade fuzes, 48 7.2" hedgehogs and 2 depth charges. 1428 Set the special sea detail. 1455 Underway for pier 1, Newport, R.I. Maneuvering at various courses and speeds to moor in berth 143, pier 1 Newport, R.I. Ships in nest from port to starboard are USS FORREST SHERMAN (DD931), USS SAMUEL B. ROBERTS and USS ABBOT (DD629). SOPA is COMDESLANT in USS YOSEMITE (AD19).

Robert L. Fallis
ROBERT L. FALLIS
ENS USNR

16-20 Moored as before. 1616 HUNT moored alongside to starboard.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

20-24 Moored as before.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, U. S. N. COMMANDING.

EXAMINED:

Robert L Fallis
ROBERT L. FALLIS, ENS, U. S. N.R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT DD-629 ZONE DESCRIPTION +5R DATE 2 DEC 19 58

AT/~~PASSAGE FROM~~ NEWPORT, R.I. ~~TO~~

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	8	6	OVC	30.04	41	41						
02	300	8	6	OVC	30.02	41	41						
03	300	8	6	OVC	30.01	41	41						
04	340	8	4	OVC	30.04	38	38						
05	340	8	4	OVC	30.06	38	38						
06	340	8	6	OVC	30.08	38	38						
07	340	8	9	CLR	30.10	40	40						
08	320	12	8	CLR	30.12	42	41						
09	320	12	9	CLR	30.12	2/6	45						
10	320	12	10	CLR	30.12	52	52						
11	320	15	9	CLR	30.13	47	46						
12	320	11	8	CLR	30.14	42	41						
13	320	12	10	CLR	30.14	43	42						
14	320	14	10	CLR	30.15	42	41						
15	320	12	10	CLR	30.15	42	41						
16	320	12	8	CLR	30.16	40	40						
17	310	14	8	CLR	30.16	39	38						
18	310	16	7	CLR	30.19	39	38						
19	310	16	7	CLR	30.20	39	38						
20	270	15	6	CLR	30.20	36	36						
21	300	15	6	CLR	30.18	37	36						
22	300	15	6	CLR	30.18	36	31						
23	300	10	6	CLR	30.22	35	31						
24	300	11	6	CLR	30.20	35	35						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_l	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

Jw Port

FUEL CONSUMED 0000-2400

Jw Port

EXAMINED Robert L Sullis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Tuesday (Day) 2 (Date) December (Month) 19 58

SMOOTH REMARKS—CONTINUED

00-04 Moored port side to USS SAMUEL B. ROBERTS (DD823) with standard mooring lines plus eight-inch lines to the pier fore and aft, in berth 143, Newport, R.I., in a nest of four ships, Ships in nest are from port to starboard, USS FORREST SHERMAN (DD 931), ROBERTS, ABBOT and USS HUNT (DD674). Condition of readiness five and material condition YOKE set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESIANT in USS YOSEMITE (AD 19).

J. S. Thurneysen
J.S. THURNEYSEN
LTJG, USN

04-08 Moored as before.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG, USN

08-12 Moored as before. 0745 Mustered the crew at quarters; absentees: HALEY, J.J., 479 77 14, SA USN, UA since 0730, 29 November 1958. 0907 HUNT left the starboard side. 1000 Made daily inspection of magazines and smokeless powder samples; conditions normal.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG, USN

12-16 Moored as before. 1347 HUNT moored alongside to starboard.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG, USN

16-20 Moored as before. 1825 USS BEATTY (DD756) moored alongside HUNT to starboard.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG, USN

20-24 Moored as before.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG, USN

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR U.S.N. COMMANDING.

EXAMINED:

Robert L. Fallis
ROBERT L. FALLIS, ENS U.S.N.R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____

(Day) (Date) (Month)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT DD-629 ZONE DESCRIPTION +5R DATE 3 DEC 19 58

AT/~~PASSAGE FROM~~ NEWPORT, R.I. ~~TO~~

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	10	6	CLR	30.18	33	33						
02	300	10	5	CLR	30.16	32	32						
03	300	10	4	CLR	30.12	32	28						
04	300	10	4	CLR	30.07	32	28						
05	310	12	4	CLR	30.05	31	28						
06	310	11	5	CLR	30.01	31	28						
07	300	16	7	CLR	29.97	30	27						
08	300	14	9	CLR	29.95	32	29						
09	300	12	9	CLR	29.92	43	37						
10	300	10	9	CLR	29.92	43	37						
11	300	10	7	CLR	29.90	43	37						
12	300	10	7	CLR	29.88	42	37						
13	300	10	9	OVC	29.82	42	42						
14	300	8	9	OVC	29.82	43	42						
15	300	8	7	OVC	29.81	42	42						
16	300	6	7	OVC	29.82	42	42						
17	300	6	7	OVC	29.78	42	42						
18	300	6	7	OVC	29.78	42	42						
19	310	6	7	OVC	29.78	42	42						
20	310	6	6	OVC	29.74	48	42						
21	310	6	6	OVC	29.72	48	42						
22	310	6	6	OVC	29.68	48	42						
23	300	6	6	OVC	29.68	47	41						
24	300	6	4	R	29.66	47	43						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds	Type C_L	Height C_L Clouds (Coded)	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(Coded)	(0-9)		(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_aT_a	T_dT_d	i	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	C_2	K	D_l	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Wednesday (Day) 3 (Date) DEC (Month) 19 58

~~SMOOTH REMARKS—CONTINUED~~

00-04 Moored port side to USS SAMUEL B. ROBERTS (DD823) with standard mooring lines plus eight inch lines to the pier in berth 143, Newport, R.I., in a nest of five ships. Ships in nest from port to starboard are USS FORREST SHERMAN (DD931), ROBERTS, ABBOT, USS HUNT (DD674) and USS BEATTY (DD756). Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD 19). Condition of readiness five and material condition YOKE set. 0045 HALEY, J.J., 479 77 14, SA, USN, returned aboard having been UA since 0730, 29 November 1958. JT

J. S. Thurneysen
J.S. THURNEYSEN
LTJG, USN

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: None.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG, USN

08-12 Moored as before. 0815 USS BEATTY (DD756) got underway. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

Robert L Fallis
ROBERT L. FALLIS
ENS, USNR

12-16 Moored as before. 1506 USS BEATTY (DD756) Moored alongside USS HUNT (DD674) to starboard.

Robert L Fallis
ROBERT L. FALLIS
ENS, USNR

16-20 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS, USNR

20-24 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS, USNR

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR U. S. N. COMMANDING.

EXAMINED:

Robert L Fallis
ROBERT L. FALLIS, ENS U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT DD-629 ZONE DESCRIPTION +5R DATE 4 DEC 1958

AT/~~PASSAGE FROM~~ NEWPORT, R.I. ~~TO~~

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	310	6	4	R	29.64	45	45						
02	310	6	4	R	29.60	45	45						
03	310	6	4	ovc	29.56	45	45						
04	310	5	4	ovc	29.50	45	45						
05	310	5	4	ovc	29.46	49	48						
06	310	5	4	ovc	29.40	50	50						
07	310	5	4	ovc	29.40	50	50						
08	150	6	3	ovc	29.36	51	51						
09	150	5	3	ovc	29.32	50	50						
10	150	4	3	ovc	29.30	50	50						
11	150	4	2	ovc	29.26	50	50						
12	150	4	2	ovc	29.23	49	49						
13	150	4	2	R	29.22	47	45						
14	150	4	3	R	29.22	48	48						
15	150	4	6	CLR	29.24	51	50						
16	160	4	6	CLR	29.24	48	48						
17	160	5	6	CLR	29.26	46	46						
18	160	6	6	CLR	29.30	45	45						
19	160	7	6	CLR	29.33	44	43						
20	160	7	8	CLR	29.37	46	45						
21	165	6	8	CLR	29.43	43	42						
22	165	6	8	CLR	29.43	45	43						
23	165	6	7	CLR	29.44	44	43						
24	165	6	5	CLR	29.44	44	42						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
~~1200~~		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT		Direction	Speed			Barometer Corrected		Amount of C_L Clouds	Type C_L	Height C_L Clouds	Type C_M	Type C_H	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(Coded) (0-9)	(Coded)	(0-9)	(0-9)	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
In Port

FUEL CONSUMED
0000-2400
In Port

EXAMINED Robert L Sullis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD 629)

Thursday 4 December 19 58
(Day) (Date) (Month)

~~SMOOTH REMARKS CONTINUED~~

00-04 Moored port side to USS SAMUEL B. ROBERTS in berth 143, pier 1 Newport, R.I. with standard destroyer mooring lines plus eight-inch lines forward and aft. Ships in the nest from port to starboard are USS FORREST SHERMAN (DD931), USS SAMUEL B. ROBERTS (DD823), USS ABBOT (DD629), USS HUNT (DD674), USS BEATTY (DD756). Ships present include various units of U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD 19).

Robert L Fallis
ROBERT L. FALLIS
ENS, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: None.

Robert L Fallis
ROBERT L. FALLIS
ENS, USNR

08-12 Moored as before. 1000 Made weekly inspection of magazines and smokeless powder sample. Conditions normal. 1002 USS BEATTY (DD756) got underway. 1135 Set condition storm three.

Robert L Fallis
ROBERT L. FALLIS
ENS, USNR

12-16 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS, USNR

16-20 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS, USNR

20-24 Moored as before. 2056 Cancel storm condition three.

Robert L Fallis
ROBERT L. FALLIS
ENS, USNR

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, U. S. N. COMMANDING.

EXAMINED:

Robert L Fallis
ROBERT L. FALLIS, ENS R U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O—408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____ _____, 19____

(Day) (Date) (Month)

APPROVED: EXAMINED:

_____ U. S. N. COMMANDING. _____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 5 DECEMBER 19 58

AT/~~PASSAGE FROM~~ NEWPORT, RHODE ISLAND TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	165	6	4	CLR	29.35	42	44						
02	165	6	4	CLR	29.35	42	44						
03	165	6	4	CLR	29.35	42	44						
04	165	4	5	CLR	29.50	42	44						
05	165	4	6	CLR	29.50	42	44						
06	165	3	6	CLR	29.52	44	45						
07	180	3	4	CLR	29.51	44	44						
08	200	4	5	CLR	29.56	44	44						
09	200	5	5	CLR	29.56	47	46						
10	180	4	3	OVC	29.52	49	48						
11	180	4	3	OVC	29.50	51	50						
12	120	4	3	R	29.18	53	52						
13	120	4	3	R	29.44	56	55						
14	120	4	3	R	29.40	56	55						
15	120	4	3	R	29.38	56	56						
16	120	6	2	OVC	29.34	57	52						
17	160	12	2	OVC	29.29	56	55						
18	160	12	2	R	29.26	55	55						
19	160	14	2	OVC	29.94	56	55						
20	320	18	3	CLR	29.21	54	54						
21	320	22	3	CLR	29.24	53	53						
22	310	25	3	CLR	29.28	51	51						
23	310	22	4	CLR	29.38	51	51						
24	310	25	5	CLR	29.38	47	46						

POSITION	ZONE TIME
0800	
L	BY
λ	BY
1200	
L	BY
λ	BY
2000	
L	BY
λ	BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT	Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
IN PORT

FUEL CONSUMED
0000-2400
IN PORT

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Friday (Day) 5 (Date) DEC (Month) 19 58

SMOOTH REMARKS CONTINUED

00-04 Moored port side to USS SAMUEL B. ROBERTS (DD823) in berth 143, pier 1, Newport, R.I. with standard destroyer mooring lines plus eight inch lines forward and aft to the pier. Ships in the nest from port to starboard are USS FORREST SHERMAN (DD931), USS SAMUEL B. ROBERTS (DD823), USS ABBOT (DD629), USS HUNT (DD674) and USS BEATTY (DD756). Condition of readiness five material condition Yoke ~~and storm condition three~~ set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

04-08 Moored as before. 0745 Mustered the crew at quarters; Absentees: None.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

08-12 Moored as before. 0900 Commenced taking fresh water from the pier. 0950 Made daily inspection of magazines and smokeless powder samples; Conditions Normal. 1040 Completed taking fresh water from the pier having received 14,687 gallons of water.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

12-16 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

16-20 Moored as before. 1624 Set storm condition three.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

20-24 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, USN U.S.N. COMMANDING.

EXAMINED:

Robert L Fallis
ROBERT L. FALLIS, ENS, USNR U.S.N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____

(Day) (Date) (Month)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 6 DECEMBER 19 58

AT/~~PASSAGE FROM~~ NEWPORT, RHODE ISLAND

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	310	25	5	CLR	29.42	45	45						
02	310	27	5	CLR	29.46	42	42						
03	310	25	4	CLR	29.48	40	40						
04	310	12	3	CLR	29.50	38	38						
05	310	12	3	CLR	29.50	37	37						
06	310	12	4	CLR	29.52	36	36						
07	310	12	8	CLR	29.54	36	36						
08	310	13	8	CLR	29.56	37	31						
09	310	16	8	CLR	29.56	37	31						
10	310	16	8	CLR	29.56	40	35						
11	300	17	8	CLR	29.56	40	35						
12	280	17	10	CLR	29.55	37	36						
13	280	17	10	CLR	29.56	37	37						
14	280	17	10	CLR	29.58	37	37						
15	280	18	10	CLR	29.62	36	36						
16	120	18	7	CLR	29.68	34	34						
17	120	25	5	CLR	29.68	33	33						
18	120	20	5	CLR	29.68	33	33						
19	120	20	5	CLR	29.74	31	31						
20	120	20	5	CLR	29.76	32	32						
21	120	18	5	CLR	29.78	29	29						
22	120	20	5	CLR	29.78	26	26						
23	120	20	5	CLR	29.78	26	26						
24	120	20	5	CLR	29.76	25	25						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of Clouds C_L	Type C_L	Height C_L Clouds	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(Coded)	(0-9)	(Coded)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400
IN PORT

FUEL CONSUMED 0000-2400
IN PORT

EXAMINED Robert L Sullis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

SATURDAY (Day) 6 (Date) DEC (Month) 19 58

SMOOTH REMARKS—CONTINUED

00-04 Moored port side to USS SAMUEL B. ROBERTS (DD823) in berth 143, pier 1, Newport, R.I. with standard destroyer mooring lines plus eight inch lines forward and aft to the pier. Ships in nest from port to starboard are USS FORREST SHERMAN (DD931), USS SAMUEL B. ROBERTS (DD823), USS ABBOT (DD629), USS HUNT (DD674) and USS BEATTY (DD756). Condition of readiness five material condition Yoke and storm condition three set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

04-08 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

08-12 Moored as before. Mustered the crew on station; Absentees: MARRERO, David R., 470 92 47, CSSA, UA since 0730, 6 December 1958. 1000 Made daily inspection of magazines and smokeless powder samples; Condition Normal. RL

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

12-16 Moored as before. 1310 Commenced taking on fuel. 1420 Secured from taking on fuel having received 36, 453 gallons of fuel. RL

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

16-20 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

20-24 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

Robert L Fallis
ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 7 DECEMBER 1958

AT/~~PASSAGE FROM~~: NEWPORT, RHODE ISLAND TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	310	24	10	CLR	29.76	27	27						
02	310	26	10	CLR	29.76	23	23						
03	310	26	10	CLR	29.76	21	21						
04	300	25	8	CLR	29.76	27	21						
05	300	25	8	CLR	29.76	27	21						
06	300	25	8	CLR	29.78	26	21						
07	300	25	8	CLR	29.80	26	21						
08	100	20	10	CLR	29.86	26	20						
09	100	20	10	CLR	29.82	37	36						
10	100	20	10	CLR	29.80	37	36						
11	100	20	10	CLR	29.80	37	36						
12	100	20	10	CLR	29.78	35	35						
13	100	18	10	CLR	29.78	36	36						
14	100	18	10	CLR	29.78	38	37						
15	100	18	10	CLR	29.78	38	36						
16	100	18	10	CLR	29.79	36	36						
17	100	18	10	CLR	29.79	36	36						
18	100	16	6	CLR	29.82	35	34						
19	100	14	6	CLR	29.79	34	33						
20	100	14	6	CLR	29.80	34	33						
21	100	14	6	CLR	29.81	33	32						
22	100	14	6	CLR	29.82	32	32						
23	100	14	6	CLR	29.79	32	32						
24	100	15	6	CLR	29.80	32	26						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of Clouds C_L	Type C_L	Height C_L Clouds (Coded)	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(Coded)		(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)		(0-9)		(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
IN PORT

FUEL CONSUMED
0000-2400
IN PORT

EXAMINED Robert D. Sellis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Sunday (Day) 7 (Date) DEC (Month) 19 58

SMOOTH REMARKS CONTINUED

00-04 Moored port side to USS SAMUEL B. ROBERTS (DD823) in berth 143 pier 1, Newport, R.I., with standard destroyer mooring lines plus eight inch lines forward and aft to the pier. Ships in nest from port to starboard are USS FORREST SHERMAN (DD931), USS SAMUEL B. ROBERTS (DD823) USS ABBOT (DD629), USS HUNT (DD674) and USS BEATTY (DD756). Condition of readiness five, material condition Yoke and storm condition three set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

04-08 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

08-12 Moored as before. 0800 Mustered the crew on station; Absentees: MARRERO, David R., 470 92 47, CSSA, UA since 0730, 6 December 1958. Cancel storm condition three. 1000 Made daily inspection of magazine and smokeless powder samples; Condition Normal.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

12-16 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

16-20 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

20-24 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

Robert L Fallis
ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(Day) (Date) (Month)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 8 DECEMBER 19 58

AT/~~PASSAGE FROM~~ NEWPORT, RHODE ISLAND TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	15	6	CLR	29.80	31	26						
02	100	15	6	CLR	29.80	30	25						
03	100	15	6	CLR	29.80	30	25						
04	100	15	6	CLR	29.82	30	30						
05	100	15	6	CLR	29.82	31	31						
06	100	15	6	CLR	29.86	32	32						
07	100	12	10	CLR	29.78	34	33						
08	100	12	10	CLR	29.70	32	30						
09	255	12	10	SCT	29.00	32	30	3	800	CU	58	255	0
10	255	12	10	SCT	29.03	32	30	7	1600	CU	56	255	1
11	255	10	8	OVC	29.03	32	30	8	1600	CU	56	255	1
12	100	10	8	CLR	29.84	45	42	0	1600	CU	56	100	1
13	100	10	4	CLR	29.84	44	40	0	1600	CU	54	100	1
14	100	10	6	SCT	29.84	44	40	4	1600	CU	54	10	1
15	100	10	6	SCT	29.84	44	40						
16	100	10	8	CLR	29.84	45	42						
17	100	10	4	CLR	29.84	44	40						
18	100	13	3	CLR	29.80	40	40						
19	100	13	6	OVC	29.80	41	41						
20	100	12	6	OVC	29.81	40	40						
21	100	8	6	OVC	29.81	39	40						
22	100	8	6	OVC	29.81	38	38						
23	120	8	3	SNOW	29.81	34	34						
24	025	8	3	SNOW	29.80	37	34						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT	Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds	Type C_L	Height C_L Clouds	Type C_M	Type C_H	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(Coded)	(0-9)	(Coded)	(0-9)	(0-9)	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400
142.2

FUEL CONSUMED 0000-2400
3662

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Monday (Day) 8 (Date) DEC (Month) 19 58

SMOOTH REMARKS CONTINUED

00-04 Moored port side to USS SAMUEL B. ROBERTS (DD823) in berth 143, pier 1, Newport, R.I. with standard destroyer mooring lines plus eight inch lines forward and aft to the pier. Ships in nest from port to starboard are USS FORREST SHERMAN (DD931), USS SAMUEL B. ROBERTS (DD823), USS ABBOT (DD629), USS HUNT (DD674), and USS BEATTY (DD756). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

04-08 Moored as before. 0710 Mustered the crew at quarters; Absentees: MARRERO, David R., 470 92 47, CSSA, UA since 0730, 6 December 1958. 0730 Set the special sea detail. 0745 USS BEATTY (DD756) left the nest. 0759 USS HUNT (DD674) got underway.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

08-12 Moored as before. 0805 Underway in accordance with ComNavSta NEWPORT R.I. Op-Order 49-58 of 2 December 1958 to proceed to Op-Area 22. Maneuvering on various courses, and speeds to clear pier 1 and conform to the channel. 0840 Passed Brenton Reef Lightship abeam to port, distance 300 yards. Set course 164, speed 17 knots. 0842 C/S to 22 knots. 0845 C/S to 25 knots. 0927 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 1020 General Quarters. 1030 C/S to 15 knots. 1035 C/C to 155. 1037 C/S to 12 knots. Commenced gunnery exercise. 1122 C/C to 335.

Robert L. Fallis
ROBERT L. FALLIS
ENS USNR

12-16 Steaming as before. 1218 C/C to 344. 1219 Secured from General Quarters. Ammunition expended: 15 rounds 5"/38 VTNF and 57 rounds 3"/50 VTNF. 1226 C/S to 20 knots. 1233 C/S to 25 knots. 1245 C/S to 27 knots. 1250 C/S to 28 knots. 1331 C/S to 24 knots. 1336 C/S to 20 knots. 1340 C/S to 15 knots. 1355 C/S to 17 knots. 1423 C/C to 013. Maneuvering at various courses and speeds to conform to Newport channel. 1425 Set the Special Sea Detail. 1500 Maneuvering at various courses and speeds while making approach on pier 2. 1508 Moored port side to USS HUNT (DD674) in berth 224, pier 2, Newport, R.I. with standard destroyer mooring lines plus an eight inch line forward to the pier. Ships in nest from port to starboard are USS FORREST ROYAL (DD872), USS HUGH PURVIS (DD709), USS HUNT (DD674) and USS ABBOT (DD629). SOPA is COMDESRON 8 in USS DECATUR (DD936)

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

16-20 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

20-24 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

Robert L Fallis
ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 9 DECEMBER 19 58

AT/~~PASSAGE FROM~~ NEWPORT, RHODE ISLAND TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	075	6	2	SN	29.76	35	35						
02	090	7	2	SN	29.76	35	35						
03	090	7	2	SN	29.75	34	34						
04	090	8	4	SN	29.74	35	34						
05	095	8	4	SN	29.73	33	32						
06	095	6	4	SN	29.73	32	31						
07	095	6	4	SN	29.73	31	30						
08	310	10	6	OVC	29.76	36	35						
09	310	10	6	OVC	29.76	37	36						
10	310	10	6	OVC	29.76	46	43						
11	310	10	8	OVC	29.76	51	45						
12	310	10	10	CLR	29.70	50	46						
13	310	10	10	CLR	29.70	50	48						
14	310	10	10	CLR	29.70	50	48						
15	310	10	10	CLR	29.73	50	47						
16	310	10	8	CLR	29.80	51	48						
17	310	10	8	CLR	29.80	35	32						
18	310	10	8	CLR	29.80	35	32						
19	315	10	8	CLR	29.83	35	32						
20	320	10	8	CLR	29.86	33	32						
21	181	10	8	CLR	29.88	32	32						
22	181	10	8	CLR	29.90	30	29						
23	181	10	6	CLR	29.90	29	27						
24	181	10	6	CLR	29.90	28	26						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT	Direction (True)	Speed (True)		Present	Past	Barometer Corrected		Amount of Clouds C_L	Type C_L	Height C_L Clouds	Type C_M	Type C_H	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(Coded)	(00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(Coded)	(0-9)	(Coded)	(0-9)	(0-9)	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
IN PORT

FUEL CONSUMED
0000-2400
IN PORT

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Tuesday (Day) 9 (Date) December (Month) 19 58

SMOOTH REMARKS CONTINUED

00-04 Moored port side to USS HUNT (DD674) in berth 224 pier 2, Newport, R.I. with standard destroyer mooring lines plus an eight inch line forward. Ships in nest from port to starboard are USS FORREST ROYAL (DD872), USS HUGH PURVIS (DD709), USS HUNT (DD674) and USS ABBOT (DD629). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESRON 8 in USS DECATUR (DD936).

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

04-08 Moored as before.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

08-12 Moored as before. 0745 Mustered the crew at quarters, absentees: MARRERO, D.R., 470 92 47, CSSA, USN, UA since 0730, 6 December 1958. 0950 Made daily inspection of magazines and smokeless powder samples: conditions normal.

RJF

J.F. Skowronek
J.F. SKOWRONEK
ENS USNR

RJF

12-16 Moored as before. 1525 USS SAMUEL B. ROBERTS (DD823) moored alongside to starboard. 1530 Ran eight-inch line aft to stern of PURVIS.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

16-20 Moored as before. 1805 Set storm condition three.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

20-24 Moored as before. 2045 COMDESLANT in USS YOSEMITE (AD19) became SOPA.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, U.S.N. COMMANDING.

EXAMINED:

Robert L Fallis
ROBERT L. FALLIS, ENS, U.S.N.R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 10 DECEMBER 19 58

AT/~~PASSAGE FROM~~: NEWPORT, RHODE ISLAND TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	181	10	6	CLR	29.90	28	26						
02	181	10	6	CLR	29.90	28	26						
03	181	11	7	CLR	29.90	28	26						
04	181	11	6	CLR	29.90	28	26						
05	181	11	6	CLR	29.80	26	26						
06	181	11	6	CLR	30.01	26	25						
07	181	11	6	CLR	30.01	25	24						
08	181	10	6	CLR	29.96	24	24						
09	181	10	6	CLR	29.80	25	24						
10	181	10	6	CLR	30.12	25	24						
11	181	10	6	CLR	30.02	25	24						
12	160	10	6	CLR	30.00	25	23						
13	170	8	10	CLR	29.99	38	33						
14	170	8	10	CLR	30.01	37	32						
15	180	8	10	CLR	30.03	34	30						
16	120	8	10	CLR	30.08	32	30						
17	120	8	10	CLR	30.08	32	30						
18	120	8	10	CLR	30.08	31	29						
19	120	8	10	CLR	30.08	29	28						
20	100	8	10	CLR	30.10	29	25						
21	100	8	10	CLR	30.14	27	26						
22	100	8	10	CLR	30.14	27	26						
23	100	8	9	CLR	30.14	27	26						
24	100	8	7	CLR	30.12	25	23						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT	Direction (True)	Speed (True)		Present	Past	Barometer Corrected		Amount of Clouds C_L (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

IN PORT

FUEL CONSUMED 0000-2400

IN PORT

EXAMINED Robert L Sullis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Wednesday 10 DEC 1958
(Day) (Date) (Month)

SMOOTH REMARKS—CONTINUED

00-04 Moored port side to USS HUNT (DD674) in berth 224, Newport, R.I. in a nest of five ships, with standard mooring lines, plus eight-inch lines to the pier forward and to the USS HUGH PURVIS (DD709) aft. Ships in nest are from port to starboard, USS FORREST ROYAL (DD873), PURVIS, HUNT, ABBOT, and USS SAMUEL B. ROBERTS (DD823). Condition of readiness five, storm condition three, and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

04-08 Moored as before. 0714 Secured from storm condition three. 0745 Mustered crew at Quarters; Absentees: MARRERO, David R., 470 92 47, CSSA, USN, UA since 0730, 6 December 1958.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

08-12 Moored as before. 0900 COMDESRON 8 designated SOPA. Made daily inspection of magazines and smokeless powder samples: Conditions normal.

G C Mullin
G.C. MULLIN
ENS USN

12-16 Moored as before. 1530 COMDESLANT assumes duties as SOPA.

G. C. Mullin
G.C. MULLIN
ENS USN

16-20 Moored as before.

G. C. Mullin
G.C. MULLIN
ENS USN

20-24 Moored as before.

G. C. Mullin
G.C. MULLIN
ENS USN

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, USN U.S.N. COMMANDING.

EXAMINED:

Robert L Fallis
ROBERT L. FALLIS, ENS, USNR U.S.N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 11 DECEMBER 19 58

AT/~~PASSAGE FROM~~ NEWPORT, RHODE ISLAND TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	210	6	7	CLR	30.10	24	24						
02	210	6	7	CLR	30.12	22	22						
03	210	6	7	CLR	30.12	22	22						
04	210	6	7	CLR	30.12	22	22						
05	210	6	7	CLR	30.12	22	22						
06	210	6	7	CLR	30.12	21	21						
07	210	7	8	CLR	30.12	21	21						
08	025	7	9	CLR	30.13	24	24						
09	025	10	8	OVC	30.10	24	20	8	1600	CU	54	025	1
10	025	10	8	OVC	30.04	25	21	10	1600	CU	54	025	1
11	025	10	8	OVC	30.00	25	21	10	1600	CU	54	025	1
12	025	10	8	OVC	30.01	23	20	10	1600	CU	54	025	1
13	025	10	8	OVC	30.01	24	20	9	1600	CU	56	025	0
14	025	9	9	OVC	30.00	23	21	8	1600	CU	56	025	0
15	025	8	8	OVC	30.00	23	20	8	1400	CL	56	025	0
16	025	8	8	OVC	29.98	23	20	9	1400	CL	54	025	0
17	025	10	6	OVC	29.93	23	20	9	1400	CL	54	025	0
18	025	12	6	OVC	29.90	25	23	10	1400	CL	54	025	0
19	130	15	6	OVC	29.87	27	25	10	1200	CL	54	130	0
20	136	18	4	OVC	29.85	29	~~30~~						
21	140	18	4	OVC	29.85	26	26						
22	135	18	4	OVC	29.85	26	26						
23	130	20	4	SN	29.83	26	26						
24	128	25	4	SN	30.10	25	23						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
138.9

FUEL CONSUMED
0000-2400
4185

EXAMINED Robert L Sells U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Thursday (Day) 11 (Date) DEC (Month) 19 58

SMOOTH REMARKS CONTINUED

00-04 Moored port side to USS HUNT (DD674) in berth 224, Newport, R.I. in a nest of five ships with standard mooring lines, plus eight inch lines to the pier forward and to the USS HUGH PURVIS (DD709) aft. Ships in nest are from port to starboard USS FORREST ROYAL (DD872), USS HUGH PURVIS (DD709), HUNT, ABBOT, and USS SAMUEL B. ROBERTS (DD823). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet, plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

G.C. MULLIN
ENS USN

04-08 Moored as before. 0730 Mustered the crew at quarters; Absentees: MARRERO, David R., 470 92 47, CSSA, USN, UA since 0730, 6 December 1958.

BENNET S. SIMONTON
LTJG USN

08-12 Moored as before. 0810 Station the Special Sea and Anchor Detail. 0847 Underway in accordance with COMDESRON 10 speed letter Serial 063, 9 December 1958. Maneuvering at various courses and speeds to clear Narragansett Bay. 0915 Clear of Narragansett Bay with Brenton Reef lightship abeam to port, range 400 yards. Secure the Special Sea and Anchor Detail. Maneuvering at various courses and speeds to rendezvous with TU 83.3.2. Proceeding to station 2 in screen formation 1C5. 1000 On station, guide is USS FORREST SHERMAN in station Ø, bearing 355, range 3000 yards. Formation axis 135, formation course 135, speed 12 knots. OTC is CTU 83.3.2 embarked in SHERMAN. 1012 Commenced steering narrow weave. 1027 Ceased steering narrow weave. 1030 Screen axis rotated 090. Guide now bears 310, range 3000 yards. 1052 Commenced steering sinuous course, base course 090. 1059 Cease steering sinuous course. 1100 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 1104 Commenced steering sinuous course, base course 090. 1120 Ceased steering sinuous course, changed formation axis and formation course to 270. Maneuvering at various courses and speeds to take station 3. 1150 On station, guide bears 130, range 3000 yards. Commenced steering sinuous course, base course 270.

J.B. ROBERTS
ENS USNR

12-16 Steaming as before. 1205 Ceased steering sinuous course. 1220 C/S to 10 knots. 1250 C/S to 15 knots, maneuvering at various courses and speeds to take station Ø. 1300 On station, guide bearing 270, range 3000 yards. 1320 C/C to 060. 1333 C/S to 14 knots. 1341 C/S to 10 knots. 1345 C/C to 090. 1350 C/S to 14 knots. 1352 C/S to 10 knots. 1457 C/C to 270. 1501 Commenced Zig-Zagging. 1522 Commenced steering sinuous course. 1535 Ceased steering sinuous course. 1540 Ceased Zig-Zagging, resumed base course 270. 1552 C/S to 8 knots. 1556 C/S to 6 knots. 1600 C/S to 3 knots. 1602 All engines stopped. 1605 C/S to 10 knots. 1607 C/S to 15 knots, C/C to 322. 1610 C/S to 20 knots, C/C to 310.

R.H. DAUS
LTJG USN

16-18 Steaming as before. 1632 Maneuvering at various courses and speeds while entering port. 1651 Castle Hill Light abeam to starboard. 1754 Commenced making approach to pier 1. 1832 Moored port side to USS FORREST SHERMAN (DD931) in a nest of two ships in berth 142, Newport, R.I., with standard destroyer mooring lines, plus eight inch lines to the pier forward and aft. Condition of readiness five, material condition Yoke and storm condition three are set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

J.S. THURNEYSEN
LTJG USN

18-20 Moored as before. 1915 USS HUNT (DD674) moored alongside to starboard.

J.S. THURNEYSEN
LTJG USN

APPROVED: EXAMINED:

U.S.N. COMMANDING. U.S.N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629) Thursday (Day) 11 (Date) DEC (Month), 19 58

20-24 Moored as before. 2000 USS FORREST ROYAL (DD872) moored alongside HUNT to starboard.

J. S. Thurneysen

J.S. THURNEYSEN
LTJG USN

APPROVED:

Robert M. Pond

ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

George C. Mullin

GEORGE C. MULLIN, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 12 DECEMBER 19 58

AT/~~PASSAGE FROM~~ NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	128	25	2	SNOW	30.05	25	24						
02	128	25	2	SNOW	30.05	25	24						
03	128	30	1.5	SNOW	29.70	24	23						
04	128	30	1.5	SNOW	29.73	24	23						
05	130	33	1.5	SNOW	29.93	26	26						
06	130	33	1.5	SNOW	29.95	28	27						
07	130	33	1.5	SNOW	29.70	24	24						
08	130	33	1.5	SNOW	29.70	23	21						
09	181	30	1.5	SNOW	29.72	22	20						
10	181	30	1.5	SNOW	29.74	22	21						
11	000	30	1.5	SNOW	29.74	24	23						
12	000	30	1.5	SNOW	29.74	25	25						
13	010	20	1.5	CLR	29.74	27	26						
14	015	20	8	CLR	29.73	28	25						
15	000	25	8	CLR	29.72	27	25						
16	000	25	5	CLR	29.80	28	25						
17	000	25	5	CLR	29.80	28	25						
18	000	25	5	CLR	29.80	27	25						
19	010	20	5	CLR	29.82	25	24						
20	005	20	5	CLR	29.82	25	24						
21	005	20	5	CLR	29.84	25	23						
22	010	25	5	CLR	29.86	25	23						
23	010	25	5	CLR	29.86	27	25						
24	010	25	6	CLR	29.86	27	25						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND:
1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude		Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
IN PORT

FUEL CONSUMED
0000-2400
IN PORT

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Friday (Day) 12 (Date) DEC (Month) 19 58

SMOOTH REMARKS—CONTINUED

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard mooring lines plus eight inch lines to the pier forward and aft in a nest of four ships in berth 142, Newport, R.I. Ships in nest are, from port to starboard, SHERMAN, ABBOT, USS HUNT (DD674), and USS FORREST ROYAL (DD872). Condition of readiness five, storm condition three and material condition Yoke are set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

J.S. Thurneysen
J.S. THURNEYSEN
LTJG USN

04-08 Moored as before. 0507 Set storm condition two. 0745 Mustered the crew at foul weather parade; Absentees, MARRERO, David R., 470 92 47, CSSA, USN, UA since 0730, 6 December 1958.

R.H. Daus
R.H. DAUS
LTJG USN

08-12 Moored as before. 1041 Made daily inspection of magazines and smokeless powder samples: Conditions normal. Completed weekly test of magazine sprinkler system: Conditions Satisfactory. 1043 Relaxed Storm conditon two, set condition three.

R.H. Daus
R.H. DAUS
LTJG USN

12-16 Moored as before. 1300 USS SAMUEL B. ROBERTS (DD823) moored outboard of the nest. 1330 Relaxed storm condition three. 1405 USS CHARLES H ROAN (DD853) moored outboard of the nest.

R.H. Daus
R.H. DAUS
LTJG USN

16-20 Moored as before.

R.H. Daus
R.H. DAUS
LTJG USN

20-24 Moored as before.

R.H. Daus
R.H. DAUS
LTJG USNR

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

Robert L. Fallis
ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 13 DECEMBER 19 58

AT/~~PASSAGE FROM~~ NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	275	5	7	CLR	29.86	28	28						
02	275	5	7	CLR	29.86	29	28						
03*	275	5	7	CLR	29.86	29	28						
04	280	5	7	CLR	29.84	29	27						
05	280	5	7	CLR	29.84	27	25						
06	280	6	7	CLR	29.88	28	25						
07	280	6	7	CLR	29.88	28	25						
08	295	6	7	CLR	29.88	28	25						
09	295	6	7	CLR	29.92	27	27						
10	295	5	7	CLR	29.94	28	27						
11	295	5	7	CLR	29.94	31	30						
12	295	5	7	CLR	29.94	31	30						
13	090	5	7	CLR	29.94	31	30						
14	090	5	7	CLR	29.94	31	30						
15	090	5	7	CLR	29.94	31	30						
16	090	5	7	CLR	30.02	31	30						
17	090	5	7	CLR	30.10	31	30						
18	090	5	7	CLR	30.14	30	29						
19	090	5	7	CLR	30.16	29	29						
20	090	5	8	CLR	30.14	28	26						
21	090	4	8	CLR	30.18	27	25						
22	100	5	8	CLR	30.20	26	25						
23	100	5	8	CLR	30.20	26	25						
24	100	8	8	CLR	30.20	26	25						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected (mb)	(°F)	Amount of Clouds C_L (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff See Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	C_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
IN PORT

FUEL CONSUMED
0000-2400
IN PORT

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Saturday 13 DEC 58 19 58
(Day) (Date) (Month)

SMOOTH REMARKS—CONTINUED

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard destroyer mooring lines plus eight inch lines to the pier forward and aft, in a nest of six ships in berth 142, pier 1, Newport, R.I. Ships in nest from port to starboard are USS FORREST SHERMAN (DD931), USS ABBOT (DD629), USS HUNT (DD674), USS FORREST ROYAL (DD852), USS SAMUEL B. ROBERTS (DD823), and USS CHARLES H. ROAN (DD853). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

Robert L. Fallis
ROBERT L. FALLIS
ENS USNR

04-08 Moored as before.

Bennet S. Simonton
BENNET S. SIMONTON
LTJG USN

08-12 Moored as before. 0755 Mustered the crew at quarters; Absentees: MARRERO, David R., 470 92 47, CSSA, USN, UA since 0730, 6 December 1958. 0900 Made daily inspection of magazines and black powder samples. 1012 Captain J.M. PALMER, USN relieved Captain A.D. JACKSON, Jr., as Commander Destroyer Division 102 in this ship.

Bennet S. Simonton
BENNET S. SIMONTON
LTJG USN

12-16 Moored as before. 1350 Commenced taking on fuel. 1544 Completed taking on fuel. Took on 49,722 gallons of NSFO.

Bennet S. Simonton
BENNET S. SIMONTON
LTJG USN

16-20 Moored as before.

Bennet S. Simonton
BENNET S. SIMONTON
LTJG USN

20-24 Moored as before.

Bennet S. Simonton
BENNET S. SIMONTON
LTJG USN

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

Robert L. Fallis
ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

_____ U. S. N. COMMANDING.

EXAMINED:

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 14 DECEMBER 19 58

AT/~~PASSAGE FROM~~ NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	10	4	CLR	30.22	25	25						
02	090	10	4	CLR	30.23	27	25						
03	090	8	4	CLR	30.25	29	26						
04	090	8	4	CLR	30.22	27	26						
05	090	10	4	CLR	30.24	26	26						
06	080	6	5	CLR	30.29	25	23						
07	070	7	6	CLR	30.28	28	25						
08	080	6	8	CLR	30.26	32	30						
09	080	6	8	CLR	30.35	32	30						
10	080	6	10	CLR	30.98	34	31						
11	080	6	10	CLR	31.65	34	33						
12	080	6	8	CLR	32.00	35	35						
13	080	6	8	CLR	32.00	35	30						
14	080	5	7	CLR	31.80	34	30						
15	080	5	7	CLR	31.65	32	35						
16	080	5	7	CLR	31.70	34	33						
17	080	6	3	SNOW	31.59	34	33						
18	080	6	3	SNOW	31.10	32	30						
19	080	6	3	SNOW	31.11	31	30						
20	090	6	2	OVC	30.12	32	30						
21	090	6	2	OVC	30.09	31	30						
22	090	6	2	OVC	30.07	35	33						
23	090	6	2	OVC	30.04	34	33						
24	090	6	2	OVC	30.02	35	33						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of Clouds C_L	Type C_L	Height C_L Clouds	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(Coded)	(0-9)	(Coded)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	C_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
IN PORT

FUEL CONSUMED
0000-2400
IN PORT

EXAMINED Robert L Sullis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Sunday (Day) 14 (Date) DEC (Month) 19 58

SMOOTH REMARKS CONTINUED

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard destroyer mooring lines plus eight inch lines forward and aft to the pier in berth 142, Pier 1, Newport, R.I. in a nest of six ships. Ships from inboard to outboard are SHERMAN, ABBOT, USS HUNT (DD674), USS FORREST ROYAL (DD852), USS SAMUEL B. ROBERTS (DD823) and USS CHARLES H. ROAN (DD853). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet, yard and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

Bennet S. Simonton
BENNET S. SIMONTON
LTJG USN

04-08 Moored as before.

Bennet S. Simonton
BENNET S. SIMONTON
LTJG USN

08-12 Moored as before. 0800 Mustered the crew on stations; Absentees: MARRERO, David R., 470 92 47, CSSA, USN, UA since 0730, 6 December 1958. 1000 Made daily inspection of magazines and smokeless powder samples; Conditions: Normal.

C.W. Morrill 3d
C.W. MORRILL 3rd
LTJG USNR

12-16 Moored as before.

C.W. Morrill 3d
C.W. MORRILL 3rd
LTJG USNR

16-20 Moored as before.

C.W. Morrill 3d
C.W. MORRILL 3rd
LTJG USNR

20-24 Moored as before.

C.W. Morrill 3d
C.W. MORRILL 3rd
LTJG USNR

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

Robert L. Fallis
ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 15 DECEMBER 1958

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	6	2	OVC	30.20	35	33						
02	090	6	2	OVC	30.19	35	33						
03	090	6	2	OVC	29.33	35	33						
04	090	5	2	OVC	29.33	38	35						
05	090	5	2	OVC	29.34	40	35						
06	090	8	2	OVC	29.34	48	41						
07	090	8	2	OVC	29.32	40	37						
08	310	10	2	OVC	29.32	34	34						
09	310	15	1000 YDS	SNOW	29.45	32	31						
10	310	15	1000 YDS	SNOW	29.50	30	30						
11	310	15	1	OVC	29.64	30	30						
12	310	15	7	OVC	29.78	34	29	9	1600	CS	54	310	3
13	310	17	7	OVC	29.76	34	30	9	1600	CS	54	310	5
14	315	22	7	OVC	29.74	33	30	9	1600	CS	54	315	7
15	315	20	7	OVC	29.76	33	30	8	1400	CS	54	315	7
16	310	23	7	OVC	29.79	32	30	8	1400	CS	54	310	7
17	300	23	7	OVC	29.79	32	30	8	1400	CS	54	300	9
18	300	23	7	BKN	29.79	31	29	6	1400	CS	54	300	8
19	300	15	8	SCT	29.86	30	29	3	1400	CS	54	300	8
20	300	15	8	SCT	29.86	30	29	3	1400	CS	54	300	8
21	300	10	8	SCT	29.90	30	29	3	1400	CS	54	300	8
22	300	10	8	SCT	30.10	30	27	3	1400	CS	54	300	8
23	300	10	8	SCT	30.10	30	27	3	1400	CS	54	300	8
24	300	10	8	SCT	30.10	30	27	3	1400	CS	54	300	8

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT		Direction	Speed			Barometer Corrected		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	Present (00-99)	Past (0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

245.9

FUEL CONSUMED 0000-2400

3574

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Monday (Day) 15 (Date) Dec (Month) 19 58

SMOOTH REMARKS CONTINUED

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard destroyer mooring lines plus eight inch lines to the pier forward/aft in berth 142, Pier One, Newport, Rhode Island in a nest of six ships. Moored outboard from the pier in the the following order are: SHERMAN, ABBOT, USS HUNT (DD674), USS FORREST ROYAL (DD852), USS CHARLES H. ROAN (DD853) and USS SAMUEL B. ROBERTS (DD823). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA NARRABAY SUBAREA is COMDESLANT in USS YOSEMITE (AD19).

C.W. MORRILL 3rd
LTJG USNR

04-08 Moored as before. 0710 Mustered the crew at quarters; Absentees: None. 0745 Set the Special Sea and Anchor Detail. 0753 Officer of the Deck shifted his watch to the bridge.

R.H. DAUS
LTJG USN

08-12 Moored as before. 0855 Underway in accordance wtih COMCARDIV 18 Op-Order 11-58, maneuvering on various courses and speeds to clear NARRAGANSETT BAY. 0913 Commenced sounding fog signals visibility 500 yards. 1010 Ceased sounding fog signals visibility 3 miles. 1022 Passed BRENTON REEF Lightship abeam to port 3000 yards, secured the Special Sea and Anchor Detail, on course 180, speed 10 knots proceeding to rendezvous with USS LEYTE (CVS32) in company with HUNT. 1144 CTG 83.3 Assumed tactial command of LEYTE, ABBOT and HUNT. 1158 C/C to 090.

R.H. DAUS
LTJG USN

12-16 Steaming as before. 1213 Maneuvering on various courses and speeds to take station 1 of screen 3C2. 1230 On station, guide is USS LEYTE (CVS32) bearing 030, range 3200 yards. Base course 160, base speed 20 knots. 1415 Changed course to 180. 1445 Changed course to 160. 1500 Changed course to 270, speed 10 knots. 1521 Maneuvering on various courses and speeds to take plane guard station 2. 1542 Changed course to 295. 1546 Changed course to 300. 1550 On station, guide bears 025, range 2000 yards.

C.W. MORRILL 3rd
LTJG USNR

16-18 Steaming as before. 1623 Completed flight operations. 1625 C/C to 260. 1628 C/S to 15 knots. 1630 C/S to 10 knots, detached, proceeding to rendezvous with TU 83.3.2.

R.H. DAUS
LTJG USN

18-20 Steaming as before. Maneuvering on various courses at 10 knots maintaining distance of 4000 yards to the East of ASW exercise ships.

M.A. ARNHEITER
LT USN

20-24 Steaming as before. 2155 Maneuvering on various courses and speeds to take station 4 in concentric circular screen, guide FORREST SHERMAN, bearing 240, range 3000 yards. 2212 C/C to 180. C/S to 10 knots. On station. 2218 C/C to 125, C/S to 15 knots. 2232 Maneuvering on various courses at 22 knots to take station 4 in screen 11C7, LEYTE designated guide bearing 257, range 4500 yards, base course 185, speed 12 knots. 2251 On station.

R.H. DAUS
LTJG USN

APPROVED:

ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____

(Day) (Date) (Month)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 16 DECEMBER 19 58

AT/PASSAGE FROM NEWPORT, RI. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	10	8	SCT	30.09	32	29	3	1400	CS	62	300	8
02	300	10	8	SCT	30.11	31	29	4	1500	CS	63	300	5
03	300	10	8	SCT	30.10	31	29	4	1500	CS	62	300	5
04	300	12	9	SCT	30.08	30	28	4	1500	CS	62	300	5
05	300	12	9	SCT	30.07	32	28	5	1500	CS	62	300	7
06	300	15	8	OVC	30.08	32	28	9	1600	CS	62	300	6
07	300	20	6	OVC	30.12	34	30	8	1600	CS	62	300	8
08	300	20	6	OVC	30.16	38	33	9	1600	CS	62	300	9
09	300	20	6	OVC	30.16	36	33	9	1600	CS	62	300	10
10	300	20	6	OVC	30.14	36	33	10	1400	CS	62	300	10
11	300	25	6	OVC	30.20	35	33	9	1400	CS	62	300	10
12	300	25	6	OVC	30.18	37	32	9	1400	CS	62	300	10
13	300	25	7	OVC	30.18	36	33	9	1400	CS	62	300	13
14	300	28	6	OVC	30.20	38	34	10	1600	CS	62	300	13
15	300	28	6	OVC	30.22	38	34	9	1600	CS	62	300	13
16	300	28	6	OVC	30.21	38	34	9	1600	CS	62	300	10
17	300	25	6	OVC	30.20	36	34	9	1600	CS	62	300	10
18	300	23	6	OVC	30.22	35	33	9	1600	CS	62	300	10
19	300	20	6	OVC	30.26	35	33	8	1600	CS	62	300	8
20	300	20	6	OVC	30.30	35	33	8	1600	CS	62	300	8
21	300	15	6	OVC	30.30	35	32	8	1600	CS	62	300	8
22	300	15	6	OVC	30.32	36	32	6	1600	CS	62	300	8
23	300	15	6	OVC	30.32	36	32	6	1600	CS	62	300	8
24	300	15	8	OVC	30.31	36	32	6	1600	CS	62	300	7

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected (mb)		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)		(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff See Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_l	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
279.6

FUEL CONSUMED
0000-2400
12607

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Tuesday (Day) 16 (Date) DEC (Month) 19 58

SMOOTH REMARKS—CONTINUED

00-04 Steaming in company with TG83.3 operating off the Atlantic coast.in accordance with COMCARDIV 18 Op-Order 11-58. This ship in station 4 of screen formation 11C7. Guide is USS LEYTE (CVS32) in station Ø, bearing 257, range 4500 yards. Formation axis is 180, formation course 185, speed 12 knots. SOPA and OTC is COMCARDIV 18 in LEYTE. Screen commander is COMDESRON 10 in USS FORREST SHERMAN (DD931) in station 1. Condition of readiness four and material condition Yoke set.

J.B. ROBERTS
ENS USNR

04-08 Steaming as before. 0535 Formation course changed to 000. Proceeding at 20 knots to pouncer station 2.5320, screen axis 225. 0605 On station; guide bears 005, range 2500 yards. 0627 C/C to 225. 0635 C/S to 15 knots. 0645 Commenced zigzagging by Plan 13 on base course 225; commenced turn count masking and broad weave. 0720 Set course 195; ceased zigzagging. 0730 Ceased broad weave and turn count masking. 0732 C/S to 12 knots. 0750 C/C to 000.

J.S. THURNEYSEN
LTJG USN

08-12 Steaming as before. 0800 Mustered the crew on stations. No unauthorized absentees. 0801 Commenced maneuvering on various courses and speeds to take station #5 in column, LEYTE guide in station #1. 0825 On station 3000 yards astern carrier,base course 000, base speed 12 knots. Commenced lookout training exercise, USS TENCH (SS421) passing down starboard side of column, distance 2000 yards, on southerly heading. 0910 Made daily inspection of magazines and smokeless powder samples. Conditions normal. 0944 Destroyers detached; proceeding for rendezvous with TENCH: maneuvering on various courses and speeds. 1125 Maneuvering to rejoin LEYTE: base course 160, base speed 10 knots.

M.A. ARNHEITER
LT USN

12-16 Steaming as before. 1220 C/C to 140. 1242 C/C to 000. 1258 C/C to 330 C/S to 17 knots. 1315 C/C to 320 maneuvering to take station No. 5 in screen 11C6 screen axis 000. Base course 320, speed 10 knots, guide LEYTE bearing 300, range 4500 yards. 1316 C/S to 10 knots, large wave taken to port caused minor damage to stanchions and deck, repairs within capability of ship's force. 1322 C/S to 8 knots, on station.

R.H. DAUS
LTJG USN

16-~~20~~ 18 Steaming as before. 1730 C/C to 305. C/S to 10 knots. 1813 C/C to 170. 1818 Maneuvering at various courses and speeds to take station for ECM exercises. 1830 On station. Guide is USS LEYTE bearing 270, range 4000 yards. Formation course 170, speed 10 knots.

J.B. ROBERTS
ENS USNR

18-20 Steaming as before.

J.S. THURNEYSEN
LTJG USN

20-24 Steaming as before. 2228 Maneuvering on various courses and speeds to take screen station on LEYTE. 2239 On station #3 in a concentric circular screen, guide LEYTE in station Ø, base course 170, base speed 10 knots. Guide bearing 240; distant 4500 yards. 2310 Commenced maneuvering in formation to avoid a surface contact. 2352 Resumed base course 170.

APPROVED:

ROBERT M. POND, CDR, U.S.N. COMMANDING.

EXAMINED:

M.A. ARNHEITER
LT USN

ROBERT L. FALLIS, ENS, U.S.N.R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE: 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

_____ U. S. N. COMMANDING.

EXAMINED:

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 12 DECEMBER 19 58

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	15	8	BKN	30.31	36	32	6	1600	CS	67	300	7
02	300	12	8	BKN	30.30	36	30	7	1600	CS	67	300	7
03	300	10	9	BKN	30.29	38	32	5	1600	CS	67	300	6
04	090	10	9	BKN	30.28	38	33	5	1600	CS	67	090	6
05	090	10	9	BKN	30.27	38	33	5	1600	CS	67	090	3
06	090	10	9	BKN	30.28	38	33	5	1600	CS	67	090	3
07	220	7	10	BKN	30.27	39	32	3	1600	CS	67	220	2
08	210	5	10	SCT	30.25	48	44	3	2000	Cu	68	210	1
09	210	8	10	SCT	30.25	50	45	3	2000	Cu	68	210	1
10	210	8	10	SCT	30.25	52	45	4	2000	Cu	68	210	1
11	210	8	10	SCT	30.21	54	45	4	2000	Cu	68	210	1
12	210	8	10	SCT	30.17	54	46	4	2000	Cu	68	210	1
13	210	12	10	SCT	30.10	58	54	4	1600	Cu	68	210	2
14	210	14	10	SCT	30.08	60	59	4	1600	Cu	76	210	3
15	210	14	10	BKN	30.08	60	55	5	1600	Cu	76	210	3
16	210	14	10	BKN	30.07	59	55	5	1600	CS	76	210	2
17	210	12	10	BKN	30.05	58	55	6	1600	CS	78	210	2
18	210	12	8	BKN	30.05	60	52	6	1600	CS	78	210	2
19	210	13	8	BKN	30.05	60	52	6	1600	CS	78	210	2
20	210	15	6	BKN	30.03	60	52	6	1600	CS	78	210	2
21	210	15	6	BKN	30.02	60	52	6	1600	CS	78	210	2
22	210	15	6	BKN	30.02	60	52	6	1600	CS	78	210	2
23	210	15	6	BKN	30.00	60	52	6	1600	CS	78	210	3
24	210	15	7	BKN	30.00	56	52	6	1600	CS	78	210	4

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT		Direction	Speed					Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	Present (00-99)	Past (0-9)	Barometer Corrected (mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

735

FUEL CONSUMED
0000-2400

8971

EXAMINED Robert L Sullis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Wednesday 17 DEC 19 58
(Day) (Date) (Month)

SMOOTH REMARKS—CONTINUED

00-04 Steaming in company with TG 83.3 in accordance with COMCARDIV 18 Op-Order 11-58. Ships in company are USS LEYTE (CVS32), USS FORREST SHERMAN (DD931), USS HUNT (DD674), USS CHARLES H. ROAN (DD853), USS SAMUEL B. ROBERTS (DD823), USS FORREST ROYAL (DD872). This ship in station 3 of screen 11C6, axis 000. Guide is USS LEYTE (CVS32) bearing 240, range 4500 yards. Base course 170, base speed 10 knots. Enroute to 0630 rendezvous point. SOPA and OTC is COMCARDIV 18, embarked in LEYTE. Screen commander is COMDESRON 10, embarked in FORREST SHERMAN. Condition of readiness four and material condition Yoke set. 0301 C/C to 160 C/S to 12 knots.

R.H. DAUS
LTJG USN

04-08 Steaming as before. 0551 C/C to 270. 0605 C/S to 17 knots. 0615 Maneuvering at various courses and speeds to take lifeguard station 1000 yards astern of USS LEYTE (CVS32), while refueling USS HUNT (DD674) to starboard. Refueling course 270, speed 12 knots. 0624 On station. 0730 Maneuvering at various courses and speeds to take station 1000 yards astern of USS FORREST SHERMAN (DD931).

J.B. ROBERTS
ENS USNR

08-12 Steaming as before. 0755 On station, guide bearing 330, range 1000 yards. Mustered the crew on station; absentees: none. 0830 Maneuvering on various courses at various speeds while conducting anti-submarine exercises. 0851 Set condition 1AS. Set material condition Zebra. 1004 Secured from condition 1AS; set material condition Yoke. 1009 Made daily inspection of magazines and smokeless powder samples; conditions normal. 1032 Set modified condition 1AS. 1150 Secured from modified condition 1AS. Taking station 2 in formation 1, course 000, speed 10 knots; guide is SHERMAN bearing 000, range 1000 yards. 1215 C/C to 270.

J.S. THURNEYSEN
LTJG USN

12-16 Steaming as before. 1240 Maneuvering at various courses and speeds during anti-submarine exercises. 1331 Set condition 1AS and material condition Zebra. 1527 Set modified condition 1AS and material condition Yoke. 1607 Secured from modified condition 1AS.

J.S. THURNEYSEN
LTJG USN

16-18 Steaming as before. 1625 Maneuvering on various courses to remain in sector H. 1715 Maneuvering on various courses at 15 knots while conducting ASW exercises.

R.H. DAUS
LTJG USN

18-20 Steaming as before. 1809 Set modified condition 1AS. Maneuvering at various courses and speeds while conduction anti-submarine exercises.

J.B. ROBERTS
ENS USNR

20-24 Steaming as before. 2114 Secured from condition 1AS. 2140 Set course 270, speed 10 knots. 2200 FORREST SHERMAN and ROBERTS forming in column astern of ABBOT.. 2232 Steering various courses at various speeds to join TG 83.3 and take station 3 in screen: 1105, axis 180, circle 4.5, course 000, speed 12 knots. 2314 On station; guide is LEYTE in station 0, bearing 072, range 4500 yards.

APPROVED:

ROBERT M. POND, CDR, U.S.N. COMMANDING.

EXAMINED:

J.S. THURNEYSEN
LTJG USN

ROBERT L. FALLIS, ENS, U.S.N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE: 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT(DD629) ZONE DESCRIPTION +5R DATE 18 DECEMBER 19 58

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	210	17	7	BKN	30.06	54	51	6	1600	CS	78	210	4
02	210	17	7	BKN	30.02	54	51	6	1600	CS	78	210	4
03	210	17	8	BKN	30.03	55	51	6	1600	CS	78	210	4
04	210	17	8	BKN	30.05	55	52	6	1600	CS	78	210	4
05	210	15	8	BKN	30.07	55	52	6	1600	CS	78	210	4
06	210	15	8	BKN	30.02	53	51	5	1600	CS	78	210	4
07	210	15	8	BKN	30.03	55	51	6	1600	CS	78	210	4
08	350	10	8	BKN	30.05	55	51	6	1600	CS	78	350	2
09	350	8	10	BKN	30.08	56	51	6	1600	CS	78	350	1
10	350	8	10	BKN	30.08	56	51	6	1600	CS	67	350	1
11	350	8	10	BKN	30.06	56	51	7	1600	CS	67	350	1
12	350	8	10	BKN	30.03	56	51	7	1600	CS	72	350	1
13	350	8	8	BKN	30.02	58	51	7	1600	CS	72	350	1
14	350	8	8	BKN	30.00	60	58	7	1600	CS	72	350	1
15	350	8	8	BKN	30.01	56	53	7	1600	CS	72	350	1
16	350	8	10	BKN	30.04	54	53	6	1600	CS	72	350	0
17	350	8	10	BKN	30.08	52	51	6	1600	CS	72	350	0
18	350	8	10	BKN	30.08	52	50	6	1600	CS	72	350	0
19	350	8	8	BKN	30.08	52	50	6	1600	CS	72	350	0
20	350	5	8	BKN	30.09	51	50	6	2000	CU	72	350	0
21	350	5	8	SCT	30.10	51	50	4	2000	CU	72	350	0
22	350	5	8	SCT	30.10	51	50	3	2000	CU	76	350	0
23	350	5	8	CLR	30.10	49	47	0	—	—	76	350	0
24	350	5	8	CLR	30.08	49	47	0	—	—	76	350	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
280.4

FUEL CONSUMED
0000-2400
16958

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Thursday (Day) 18 (Date) DEC (Month) 19 58

SMOOTH REMARKS CONTINUED

00-04 Steaming in company with TG 83.3, composed of USS LEYTE (CVS32) and DESRON 10 in accordance with COMCARDIV 18 Op-Order 11-58. Formation is concentric circular screen 1105, axis 180, with LEYTE guide in station Ø base course 000, base speed 12 knots. This ship in station #3 with guide bearing 072, distant 4500 yards. OTC is COMCARDIV 18 in LEYTE, screen Commander is COMDESRON 10 in USS FORREST SHERMAN (DD931). Condition of readiness four and material condition Yoke set. 0145 Changed base course to 180.

M.A. ARNHEITER
LT USN

04-08 Steaming as before. 0600 C/C to 090. 0604 C/C 040, C/S to 10 knots. 0613 Maneuvering on various courses and speeds to take life guard station on LEYTE, bearing 040, range 1000 yards. 0627 On station. 0745 Mustered the crew on station; Absentees: None.

R.H. DAUS
LTJG USN

08-12 Steaming as before. 0800 Maneuvering at various courses and speeds while making approach to starboard side of USS LEYTE (CVS32) for refueling. 0822 Commenced receiving fuel. 0904 Fueling completed, Received 47,214 gallons NSFO. 0915 All lines and hoses clear. Maneuvering at various courses and speeds to clear LEYTE. Proceeding to station 1000 yards astern of the carrier on course 225, speed 15 knots. 0952 C/C to 350. 1010 C/C to 220. 1042 C/S to 12 knots. 1050 C/C to 020. 1100 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 1101 Maneuvering to take rescue destroyer station 1. 1105 C/C to 030, C/S to 22 knots. On station. LEYTE bears 015, range 1500 yards. Commenced flight operations. 1118 Secured from flight operations. C/S to 12 knots. 1121 C/C to 200. 1139 C/C to 180.

J.B. ROBERTS
ENS USNR

12-16 Steaming as before. 1210 Proceeding at 22 knots to station 5 in screen 3C6 axis 145, course 145, speed 15 knots. 1235 On station, guide is LEYTE in station Ø, bearing 038, range 8200 yards. 1245 C/C to 090. 1250 C/C to 024, speed 24 knots. 1258 C/C to 145. 1305 C/C to 180, reorienting screen axis to 180. 1319 On station, guide bears 074, range 8200 yards. 1329 C/C to 000, taking station 2 in screen 3C2 axis 000. 1338 On station, guide bears 130 range, 3200 yards. 1350 C/C to 270, reorienting screen axis to 270. 1352 On station, guide bears 040, range 3200 yards. 1358 C/C to 255, reorienting screen axis to 255. 1410 On station, guide bears 025, range 3200 yards. 1421 C/C to 340. 1430 C/C to 255. 1450 C/C to 340, speed 12 knots. Proceeding to rescue destroyer station 1 for LEYTE. Flight course is 340. 1510 C/C to 160. 1515 On station, guide bears 325, range 1500 yards.

J. S. THURNEYSEN
LTJG USN

16-18 Steaming as before, On various courses and speeds during carrier flight operations, in plane guard station #1. 1625 Completed flight operations. 1630 Maneuvering on various courses and speeds while taking station #5 in bent line screen 3C6, axis 255, guide LEYTE in station Ø. 1704 On station, guide bearing 148, range 200 yards, base course 340, speed 12 knots. 1725 Detached in company with HUNT, and CHARLES H. ROAN as SAU undertactical command of COMDESDIV 102, C/C to 180, C/S to 25 knots, heading for submarine contact. 1730 C/S to 17 knots. 1752 C/S to 25 knots.

M.A. ARNHEITER
LT USN

18-20 Steaming as before. 1806 Set Condition 1AS, commenced ASW exercises. 2135 Secured from condition 1AS, set material condition Yoke. 2145 Set course 090, speed 15 knots in line abreast with CHARLES H. ROAN and HUNT.

J.S. THURNEYSEN
LTJG USN

APPROVED: EXAMINED:

U. S. N. COMMANDING. U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Thursday (Day) 18 (Date) DEC (Month) 19 58

20-24 Steaming as before. 2135 Secured from condition 1AS, set material condition Yoke. 2145 Set course 090, speed 15 knots, with USS CHARLES H. ROAN (DD853) and USS HUNT (DD674) in line abreast to starboard to rejoin the task group. 2153 C/C to 060, C/S to 20 knots. 2210 C/C to 040. 2221 C/C to 330. 2235 Maneuvering at various courses and speeds to take station 2 in concentric screen 11C6. 2245 On station, guide is USS LEYTE (CVS32) in station Ø bearing 120, range 4500 yards. Formation course 240, speed 12 knots. 2257 C/C to 180.

J.B. Roberts

J.B. ROBERTS
ENS USNR

APPROVED:

Robert M. Pond

ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

Robert L Fallis

ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 19 DECEMBER 19 58

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	350	5	10	CLR	30.09	49	47				76	350	0
02	350	5	10	CLR	30.05	49	47				76	350	0
03	350	5	10	CLR	30.05	49	47				76	350	0
04	350	5	10	CLR	30.06	49	47				76	350	0
05	350	5	10	CLR	30.06	51	47				76	350	0
06	350	8	10	BKN	30.08	55	51	6	1800	CL	76	350	0
07	350	8	10	BKN	30.07	55	51	6	1800	CL	76	350	0
08	350	3	10	CLR	30.09	54	51				76	350	0
09	350	3	10	CLR	30.06	56	51				76	350	0
10	120	3	10	CLR	30.03	58	52				74	120	0
11	120	3	8	SCT	30.01	60	53	4	2000	Cu	74	120	0
12	120	3	8	SCT	29.99	61	52	3	2000	Cu	74	120	0
13	120	3	9	BKN	29.97	63	59	7	2000	Cu	74	120	0
14	120	3	9	SCT	29.96	63	59	4	1400	CL	71	120	0
15	120	3	9	SCT	29.94	64	59	4	1400	CL	71	120	0
16	120	3	9	SCT	29.92	65	59	3	1400	CL	71	120	0
17	120	3	9	SCT	29.94	63	59	3	1400	CL	71	120	0
18	120	3	9	SCT	29.96	59	58	3	1400	CL	72	120	0
19	120	3	9	BKN	29.92	57	55	6	1400	CL	72	120	0
20	120	5	9	CLR	29.92	57	55				72	120	0
21	120	5	10	CLR	29.92	57	55				72	120	0
22	120	5	10	CLR	29.90	56	53				72	120	0
23	120	5	10	CLR	29.88	56	53				72	120	0
24	120	5	10	CLR	29.88	56	53				72	120	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT	Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	C_2	K	D_l	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

252.1

FUEL CONSUMED 0000-2400

19337

EXAMINED Robert L Sallis

U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Friday (Day) 19 (Date) DEC (Month) 19 58

SMOOTH REMARKS CONTINUED

00-04 Steaming in company with Task Group 83.3, composed of USS LEYTE (CVS32), USS FORREST SHERMAN (DD931), USS CHARLES H. ROAN (DD853), USS SAMUEL B. ROBERTS (DD823), USS FORREST ROYAL (DD872), ABBOT, USS HUNT (DD674) and USS TENCH (SS417), operating at sea off the coast of Virginia in accordance with COMCARDIV 18 Op-Order 11-58. This ship in station 2 of screen 11C6 on circle 4.5, course 180, speed 12 knots. Guide is LEYTE in station Ø, bearing 120, range 4500 yards. Condition of readiness four and material condition Yoke set. SOPA and OTC is CTG 83.3 in LEYTE. 0053 JT ROYAL in station 3 became guide, bearing 090, range 7800 yards. 0200 C/C to 000.

J.S. THURNEYSEN
LTJG USN

04-08 Steaming as before. 0500 Changed course to 220. 0600 C/C to 310. 0603 C/C to 040. 0607 LEYTE designated as guide bearing 120, distant 4500 yards. 0745 Mustered the crew at quarters; Absentees: None.

M.A. ARNHEITER
LT USN

08-12 Steaming as before. 0749 Maneuvering at various courses and speeds to take station on SHERMAN bearing 340, range 2500. 0758 On station, base course 250, speed 10 knots. 0802 C/S to 15 knots. 0805 C/S to 20 knots. 0823 C/S to 15 knots. 0830 Set condition 1AS and material condition "Z", steering various courses and speeds while conducting ASW exercises. 0916 Set condition "Y". 0918 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 1028 Secured from condition 1AS, set course 225, speed 15 knots.

R.H. DAUS
LTJG USN

12-16 Steaming as before. 1200 C/C to 236, C/S to 10 knots. Proceeding to station 8 in formation 92 S. 1400 On station, formation center bears 045, range 35 miles. Maneuvering at various courses to remain within 1 mile of station.

J.B. ROBERTS
ENS USNR

16-18 Steaming as before. 1800 Steering various courses at 15 knots to patrol assigned sector during anti-submarine exercise SLAMEX.

J.S. THURNEYSEN
LTJG USN

18-20 Steaming as before. Maneuvering on various courses at 15 knots, while remaining in designated search area for exercise SLAMEX III.

M.A. ARNHEITER
LT USN

20-24 Steaming as before.

R.H. DAUS
LTJG USN

APPROVED:

ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 20 DECEMBER 1958

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	120	7	10	CLR	29.84	59	54				72	120	0
02	120	10	10	CLR	29.86	60	54				72	120	0
03	120	12	10	CLR	29.87	55	51				72	120	0
04	260	15	10	CLR	29.84	55	51				69	260	2
05	260	15	10	CLR	29.83	55	51				69	260	2
06	260	15	10	CLR	29.83	55	51				69	260	2
07	260	15	10	SCT	29.82	60	53	4	2600	Cu	69	260	3
08	260	15	10	SCT	29.82	60	53	4	2000	Cu	69	260	3
09	270	15	8	SCT	29.82	61	53	4	2000	Cu	73	270	4
10	285	15	8	SCT	29.80	62	53	4	2000	Cu	73	285	4
11	270	15	8	SCT	29.84	63	53	3	2000	Cu	73	270	4
12	270	15	9	SCT	29.84	63	59	4	2000	Cu	73	270	4
13	270	15	9	SCT	29.83	64	60	4	2000	Cu	73	270	4
14	270	15	9	SCT	29.81	66	60	4	2000	Cu	73	270	4
15	270	15	9	BKN	29.84	63	60	6	1600	Cu	73	270	3
16	270	15	10	BKN	29.82	63	56	6	2000	CL	73	270	3
17	270	15	10	BKN	29.81	58	55	7	2000	CL	73	270	3
18	270	15	8	BKN	29.82	56	52	6	2000	CL	73	270	4
19	270	15	6	OVC	29.84	54	51	10	2000	CL	73	270	4
20	270	15	6	OVC	29.90	52	50	10	6000	CL	73	270	4
21	270	15	6	OVC	29.93	50	48	10	6000	CL	73	270	4
22	270	15	6	OVC	29.96	48	45	10	6000	CL	73	270	4
23	270	15	6	OVC	30.00	48	45	10	6000	CL	73	270	4
24	350	17	6	BKN	30.02	48	45	6	6000	CL	73	350	4

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT		Direction	Speed			Barometer Corrected		Amount of C_L Clouds	Type C_L	Height C_L Clouds	Type C_M	Type C_H	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(Coded)	(0-9)	(Coded)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
242.8

FUEL CONSUMED
0000-2400
8714

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Saturday 20 December 19 58
(Day) (Date) (Month)

SMOOTH REMARKS—CONTINUED

00-04 Steaming on patrol in sector 8 of Special Formation 92 S as part of TG 83.3 in accordance with COMCARDIV 18 Op-Order 11-58. Formation Center bears 045, range 35 miles. Maneuvering at various courses and speeds while patrolling assigned sector during ASW exercise SLAMEX. ~~OCE~~ 58CF and OTC is COMCARDIV 18 embarked in USS LEYTE (CVS32). Material condition of readiness four and material condition Yoke set.

J. B. ROBERTS
ENS USNR

04-08 Steaming as before. 0600 SLAMEX completed; set course 270, speed 15 knots. 0615 C/c to 048, speed 10 knots. 0635 C/c to 315.

J. S. THURNEYSEN
LTJG USN

08-12 Steaming as before. 0800 Mustered the crew on station; no unauthorized absentees. 0805 Commenced maneuvering on various courses and speeds while maintaining position for commencement of Special exercise SPEX II. 1100 Set base course 090, base speed 6 knots; commenced exercise SPEX II. 1115 Made daily inspection of magazines and smokeless powder samples, conditions normal.

M. A. ARNHEITER
LT USN

12-16 Steaming as before. 1425 C/c to 077.

R. H. DAUS
LTJG USN

16-18 Steaming as before. 1700 C/c to 285, C/s to 5.5 knots, to conform to PIM. PIM course 270, speed 6 knots.

J. B. ROBERTS
ENS USNR

18-20 Steaming as before. 1846 C/c to 300. 1926 C/c to 285.

J. S. THURNEYSEN
LTJG USN

20-24 Steaming as before. 2300 Completed exercise SPEX II; C/c 045, C/s 15 knots, enroute 0600, 21 December rendezvous with TG 83.3.

M.A.ARNHEITER
LT USN

APPROVED:

ROBERT M. POND, CDR U. S. N. COMMANDING.

EXAMINED:

ROBERT L. FALLIS, ENS, U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

_____ U. S. N. COMMANDING.

EXAMINED:

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 21 DECEMBER 1958

AT/PASSAGE FROM NEWPORT, R.I TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	350	20	6	BKN	30.02	45	40	6	6000	CL	73	350	4
02	350	22	6	BKN	30.04	45	40	6	6000	CL	73	350	5
03	350	25	6	BKN	30.10	42	40	7	7000	CL	73	350	7
04	350	27	6	BKN	30.12	42	40	7	7000	CL	73	350	8
05	350	27	6	OVC	30.14	40	38	8	7000	CL	73	350	8
06	350	27	6	OVC	30.19	39	37	8	7000	CL	73	350	8
07	350	27	6	OVC	30.21	38	34	8	7000	CL	73	350	8
08	350	27	6	OVC	30.20	36	33	8	6000	CL	73	350	8
09	350	27	6	OVC	30.23	34	33	8	6000	CL	76	350	8
10	350	27	6	OVC	30.28	33	31	8	6000	CL	76	350	8
11	350	27	6	OVC	30.29	33	31	9	6000	CL	76	350	8
12	350	27	5	OVC	30.31	33	31	9	6000	CL	76	350	8
13	350	27	5	OVC	30.28	32	30	9	6000	CL	76	350	8
14	350	27	5	OVC	30.29	33	31	9	6000	CL	76	350	8
15	350	25	5	OVC	30.28	40	37	10	6000	CL	66	350	8
16	350	25	5	OVC	30.28	35	33	10	6000	CL	67	350	6
17	350	25	5	OVC	30.29	35	33	10	6000	CL	67	350	6
18	350	25	5	OVC	30.34	35	33	10	6000	CL	67	350	6
19	350	22	5	OVC	30.35	35	33	10	6000	CS	67	350	6
20	350	18	5	OVC	30.35	36	33	10	6000	CS	67	350	6
21	350	15	5	OVC	30.36	37	34	10	6000	CS	67	350	6
22	350	12	5	OVC	30.36	37	34	10	6000	CS	67	350	5
23	350	15	5	OVC	30.34	36	34	10	6000	CS	67	350	5
24	350	15	5	OVC	30.32	38	34	10	6000	CS	67	350	4

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT		Direction (True)	Speed (True)		Present	Past	Barometer Corrected		Amount of Clouds C_L (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
248.5

FUEL CONSUMED
0000-2400
16852

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Sunday 21 December 1958
(Day) (Date) (Month)

SMOOTH REMARKS—CONTINUED

00-04 Steaming independently at 15 knots in accordance with COMCARDIV 18 Op-Order 11-58 on course 045 to 0600 rendezvous of TG 83.3. SOPA is COMDESDIV 102 in ABBOT. Condition of readiness four and material condition Yoke is set. 0218 C/c to 333.

R. H. DAUS
LTJG USN

04-08 Steaming as before. 0403 C/c to 353. 0440 C/s to 12 knots. 0443 C/c to 342. 0445 C/c to 333. C/s to 15 knots. 055 Maneuvering at various courses and speeds to take station 3 in circular screen formation 11C6. 0615 On station. Guide is USS LEYTE (CVS32) in station 0, bearing 240, range 4500 yards. Formation course 342, speed 12 knots. OTC is COMCARDIV 18 in LEYTE. Screen commander is COMDESRON 10 in USS FORREST SHERMAN (DD931).

J. B. ROBERTS
ENS USNR

08-12 Steaming as before. 0745 Mustered the crew on stations; absentees; none. 0845 C/c to 180. Made daily inspection of magazines and smokeless powder samples; conditions normal. 0857 C/c to 160. 0944 C/c to 350. 0954 C/c to 160. 1200 C/c to 340.

J. S. THURNEYSEN
LTJG USN

12-16 Steaming as before. 1402 C/c to 160. 1440 C/c to 335. 1445 C/c to 325 for flight ops. 1455 Completed flight ops, C/c to 160.

M. A. ARNHEITER
LT USN

16-18 Steaming as before. 1639 C/c to 240. 1650 C/c to 160. 1747 C/c to 210 1808 C/c to 240.

R. H. DAUS
LTJG USN

18-20 Steaming as before. 1915 C/c to 135. 1958 Guide became USS SAMUEL B. ROBERTS (DD823) in station 6, bearing 210, range 7800 yards. 2135 Guide became USS LEYTE (CVS 32), bearing 240, range 4500 yards.

J. B. ROBERTS
ENS USNR

20-24 Steaming as before. 2145 C/c to 000.

J. S. THURNEYSEN
LTJG USN

APPROVED:

ROBERT M. POND, CDR U. S. N. COMMANDING.

EXAMINED:

ROBERT L. FALLIS, ENS U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____

(Day) (Date) (Month)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 22 DECEMBER 1958

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	350	15	6	OVC	30.30	37	31	10	6000	CS	67	350	4
02	350	15	6	OVC	30.30	36	31	10	6000	CS	67	350	4
03	350	20	6	OVC	30.32	36	31	10	6000	CS	67	350	4
04	350	25	6	OVC	30.32	36	31	10	6000	CS	67	350	4
05	350	25	6	OVC	30.34	32	31	10	6000	CS	67	350	4
06	350	25	6	OVC	30.34	32	29	10	6000	CS	66	350	4
07	350	25	6	OVC	30.36	31	29	10	6000	CS	66	350	4
08	350	25	6	OVC	30.38	30	29	10	6000	CS	66	350	4
09	350	22	7	OVC	30.41	30	29	9	6000	CS	68	350	4
10	350	22	7	OVC	30.41	30	29	9	6000	CL	68	350	4
11	350	18	8	BKN	30.41	35	29	7	6000	~~CL~~	68	350	3
12	350	18	8	BKN	30.41	35	29	7	6000	CL	68	350	3
13	350	18	8	BKN	30.41	35	29	7	6000	CL	68	350	3
14	350	18	8	BKN	30.36	37	29	7	6000	CL	68	350	3
15	350	15	8	BKN	30.35	38	29	7	6000	CS	68	350	3
16	350	15	8	BKN	30.32	31	29	7	6000	CS	68	350	3
17	350	15	8	BKN	30.30	38	33	7	6000	CS	67	350	3
18	350	15	8	BKN	30.31	38	33	8	6000	CS	66	350	3
19	350	15	8	BKN	30.30	40	34	7	6000	CS	66	350	3
20	350	15	8	BKN	30.25	40	35	7	6000	CS	66	350	3
21	225	15	8	BKN	30.25	43	35	8	6000	CS	67	225	2
22	225	18	8	BKN	30.18	47	37	7	6000	CS	67	225	3
23	225	20	8	BKN	30.14	47	37	6	6000	CS	67	225	4
24	225	20	8	BKN	30.06	51	39	6	6000	CS	67	225	4

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT	Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds	Type C_L	Height C_L Clouds	Type C_M	Type C_H	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(0-9 Coded)	(0-9)	(Coded)	(0-9)	(0-9)	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400

280.3

FUEL CONSUMED
0000-2400

14939

EXAMINED Robert L Sellis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Monday (Day) 22 (Date) DEC (Month) 19 58

SMOOTH REMARKS—CONTINUED

00-04 Steaming in accordance with COMCARDIV 18 Op-Order 11-58 in company with other units of TG 83.3 in formation 4D, axis 000, base course 000, base speed 12 knots, in station #3, guide is USS LEYTE (CVS32) bearing 240, range 4500 yards, in station Ø. OTC is COMCARDIV 18 in LEYTE, screen Commander is COMDESRON 10 in USS FORREST SHERMAN (DD931). Condition readiness four and material condition Yoke set.

M.A.ARNHEITER
LT USN

04-08 Steaming as before. 0420 C/C to 330. 0530 C/C to 180. 0605 C/C to 000. Maneuvering on various courses and speeds to make starboard side of LEYTE on refueling course of 000. 0610 Set the Fueling Detail. 0638 C/S to 12 knots, alongside. 0652 Commenced fueling. 0730 Completed fueling. 0740 Maneuvering at various courses and speeds to regain station 3 in 11C6 screen. 0755 On station with guide, LEYTE, bearing 240, range 4500 yards. 0759 Mustered the crew on station; Absentees: None

R.H. DAUS
LTJG USN

08-12 Steaming as before. 0905 Maneuvering at various courses and speeds to take station 2 in formation 1. 0920 On station, guide is USS FORREST SHERMAN (DD931) in station 1, bearing 180, range 500 yards. Formation course 180, speed 20 knots. 0946 C/C to 250. 0955 C/C to 260, C/S to 15 knots. 1000 Made daily inspection of magazines and smokeless powder samples; Conditions Normal. 1010 This ship guide. C/C to 180. USS HUNT (DD674) and USS CHARLES H. RAON (DD853) formed on starboard beam at 1000 yards interval for anti-submarine exercise. 1141 Set modified condition 1AS. Maneuvering at various courses and speeds while engaged in anti-submarine exercises.

J.B. ROBERTS
ENS USNR

12-16 Steaming as before. 1251 Secured from modified condition 1AS. Maneuvering on various courses and speeds to remain near the contact area. 1559 Set modified condition 1AS. Maneuvering on various courses and speeds while conducting ASW exercises.

ROBERT L. FALLIS
ENS USNR

16-18 Steaming as before. 1625 Secured from modified condition 1AS. Antisubmarine exercises completed. Set course 180, speed 20 knots. 1636 Proceeding to station # 2 in concentric circular screen axis 000. 1714 On station, Guide is LEYTE, bearing 120, range 4500 yards, base course 230, speed 12 knots. 1753 C/C to 180.

M.A. ARNHEITER
LT USN

18-20 Steaming as before. 1810 C/C to 100, C/S to 10 knots. 1815 C/C to 350. 1818 C/C to 000. 1820 C/S to 12 knots. 1822 C/C to 025. 1824 C/C 030. 1825 C/C to 025. 1830 Maneuvering at various courses and speeds to take station 1 in circular formation. 1840 On station, guide now bears 180, range 4500 yards, base course 025. 1845 C/C to 205. 1920 C/C to 260. 1945 Maneuvering on various courses and speeds to take station 3 in bent line screen 3C3. 1955 On station, guide is LEYTE, bearing 150, range 4700 yards, base course 260, speed 12 knots.

ROBERT L. FALLIS
ENS USNR

20-24 Steaming as before. 2015 Formation C/C to 080. Screen axis reoriented to 080. Maneuvering at various courses and speeds to take station 2. 2028 On station, guide bears 190, range 2100 yards. 2038 Screen axis reoriented to 070. Formation C/C to 070. Guide now bears 180, range 2100 yards. 2150 Commenced flight operations, maneuvering at various courses and speeds while conducting flight operations.

APPROVED: EXAMINED:

U. S. N. COMMANDING. U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Monday (Day) 22 (Date) DEC (Month), 19 58

20-24 2252 Secured from flight operations. Screen axis reoriented to 050, guide now bears 160 range 2100 yards.

J.B. ROBERTS
ENS USNR

APPROVED:

ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 23 DECEMBER 19 58

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	265	18	7	CLR	29.87	53	50				68	265	2
02	265	18	6	CLR	29.86	53	50				68	265	3
03	270	18	6	CLR	29.86	54	50				68	270	5
04	270	20	6	CLR	29.85	54	51				68	270	6
05	270	20	6	CLR	29.84	54	51				68	270	6
06	270	20	6	CLR	29.86	55	51				68	270	6
07	240	20	6	CLR	29.90	56	52				68	240	6
08	240	20	8	CLR	29.98	57	52				67	240	7
09	240	22	8	CLR	29.96	57	53				67	240	7
10	240	22	9	CLR	29.90	58	53				67	240	7
11	240	22	9	CLR	29.88	58	53				67	240	7
12	245	22	8	BKN	29.82	57	53	6	2000	CU	67	245	5
13	245	22	8	BKN	29.80	58	53	6	2000	CU	67	245	5
14	245	22	8	BKN	29.80	58	53	6	2000	CU	67	245	5
15	245	20	8	OVC	29.78	58	53	8	2000	CU	67	245	5
16	245	20	8	OVC	29.78	58	53	10	2000	CU	67	245	5
17	245	19	8	BKN	29.76	56	50	8	2000	CU	66	245	5
18	245	15	8	OVC	29.78	58	53	10	2000	CU	66	245	5
19	245	15	8	OVC	29.76	54	50	8	2000	CU	66	245	5
20	245	15	8	BKN	29.76	53	50	8	2000	CU	66	245	5
21	245	15	8	BKN	29.74	56	51	8	2000	CU	66	245	5
22	245	15	8	BKN	29.72	58	52	8	2000	CU	66	245	5
23	245	15	8	BKN	29.72	58	52	8	2000	CU	66	245	5
24	245	15	8	BKN	29.72	58	52	8	2000	CU	66	245	5

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of Clouds C_L (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	C_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

267.3

FUEL CONSUMED 0000-2400

13888

EXAMINED Robert L Sellis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Tuesday (Day) 23 (Date) DEC (Month) 19 58

SMOOTH REMARKS—CONTINUED

00-04 Steaming in company with Task Group 83.3, composed of USS LEYTE (CVS32), Destroyer Division 101, USS HUNT (DD674), USS ABBOT (DD629), USS TENCH (SS417), operating at sea off the coast of Virginia in accordance with ComCarDiv 18 OpOrder 11-58. This ship steering various courses at various speeds while acting as screening ship and rescue destroyer for LEYTE during anti-submarine exercises. Condition of readiness four and material condition Yoke set. SOPA and OTC is CTG 83.3 in LEYTE. 0212 Released from resuce destroyer duties, proceeding to submarine contact area. 0240 Set modified Condition 1AS. 0245 Maneuvering at various courses and speeds while conducting submarine hold-down exercise.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

04-08 Steaming as before. 0713 Secured from Condition 1AS; completed ASW exercises. 0715 Commenced maneuvering to clear submarine area. 0720 C/C to 090, C/S to 17 knots. 0745 Mustered the crew on station, No unauthorized absentees.

M.A. Arnheiter
M.A. ARNHEITER
LT USN

08-12 Steaming as before. 0805 C/C to 210. 0834 C/C to 270. 0911 C/C to 220. 0915 Commenced casualty control drills in sector "E". 0940 C/C to 270. 1000 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 1005 C/S to 10 knots. 1135 C/S to 15 knots, C/C to 280. 1150 C/S to 10 knots, C/C to 258. 1155 C/S to 9 knots.

R.H. Daus
R.H. DAUS
LTJG USN

12-16 Steaming as before. 1245 Maneuvering at various courses and speeds to take lifeguard station, 1000 yards astern of USS CALOOSAHATCHEE (AO98). 1304 On station, Replenishment course 260, speed 10 knots. 1450 Commenced approach to starboard side of CALOOSAHATCHEE. 1509 Commenced pumping fuel forward. 1525 Fueling completed, received 32,142 gallons NSFO. 1535 All line and hoses clear. Maneuvering at various courses and speeds to clear CALOOSAHATCHEE and to take station 2 in circular screen 1106. 1549 On station, guide is USS LEYTE (CVS32), bearing 120, range 4500 yards. Formation course 245, speed 12 knots.

J.B. Roberts
J.B. ROBERTS
ENS USNR

16-18 Steaming as before. 1648 C/C to 130. 1722 C/C to 100. 1846 C/C to 275.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

18-20 Steaming as before. 1855 Commenced maneuvering on various courses and speeds while carrier conducting flight ops. 1945 Completed flight ops. 2000 C/C 140.

M.A. Arnheiter
M.A. ARNHEITER
LT USN

20-24 Steaming as before. 2304 C/C to 355.

R.H. Daus
R.H. DAUS
LTJG USN

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

Robert L. Fallis
ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 24 DECEMBER 1958

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	8	—	OVC	29.74	55	51	10	20000	CU	66	090	3
02	090	8	—	BKN	29.74	55	51	8	20000	CU	66	090	3
03	090	5	—	BKN	29.74	55	51	7	20000	CU	65	090	3
04	090	6	7	OVC	29.71	55	55	10	6000	CS	65	090	3
05	090	10	6	OVC	29.71	55	55	10	6000	CS	65	090	3
06	090	12	6	OVC	29.71	52	51	10	6000	CS	65	090	3
07	090	12	6	OVC	29.73	49	47	10	6000	CS	65	090	2
08	090	12	6	OVC	29.73	45	43	10	6000	CS	65	090	1
09	090	12	6	OVC	29.72	45	43	10	6000	CS	65	090	1
10	090	12	6	OVC	29.74	45	43	10	6000	CS	65	090	1
11	090	12	6	OVC	29.76	45	43	10	6000	CS	56	090	1
12	090	12	6	OVC	29.76	45	43	10	6000	CS	56	090	2
	090												
13	090	~~14~~ 13	6	OVC	29.76	45	43	10	6000	CS	56	090	3
14	090	12	7	BKN	29.76	41	39	7	6000	CS	56	090	3
15	090	12	7	BKN	29.76	41	39	7	6000	CS	56	090	3
16	090	13	7	OVC	29.82	41	39	9	6000	CS	56	090	3
17	090	10	7	OVC	29.84	41	39	9	6000	CS	56	090	3
18	090	10	7	OVC	29.84	41	39	9	6000	CS	56	090	3
19	090	10	7	OVC	29.86	42	39	9	6000	CS	56	090	3
20	090	11	—	OVC	29.90	42	39	9	6000	CS	56	090	3
21	090	12	—	BKN	29.92	42	39	9	6000	CS	56	090	3
22	090	12	—	BKN	29.92	42	39	9	6000	CS	56	090	3
23	090	12	—	BKN	29.92	41	39	7	6000	CS	56	090	3
24	090	10	6	BKN	29.94	40	37	7	6000	CS	56	090	3

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of Clouds C_L (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	C_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
252.1

FUEL CONSUMED
0000-2400
14365

EXAMINED Robert L Sellers U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Wednesday (Day) 24 (Date) DEC (Month) 19 58

SMOOTH REMARKS CONTINUED

00-04 Steaming in company with TG 83.3 off the Virginia coast in accordance with COMCARDIV 18 Op-Order 11-58. This ship is station 2 of concentric screen formation 11C6. Formation guide is USS LEYTE (CVS32) in station Ø bearing 120, range 4500 yards. OTC is COMCARDIV 18 in LEYTE. Screen commander is COMDESRON 10 in USS FORREST SHERMAN (DD931) in station 6. Formation course 355, speed 12 knots. Condition of readiness four and material condition Yoke set. 0237 C/C to 040. 0310 C/C to 355.

J.B. ROBERTS
ENS USNR

04-08 Steaming as before. 0750 Mustered the crew on station; absentees: None. 0756 C/C to 180.

J.S. THURNEYSEN
LTJG USN

08-12 Steaming as before. 0833 Maneuvering on various courses and speeds while conducting flight ops. 0940 Completed carrier flight ops. 0949 Changed station to circle 1.5, guide bears 120, 1500 yards. 1000 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 1013 Maneuvering on various courses and speeds to assume station bearing 290 distant 400 yards from LEYTE. 1030 On station, LEYTE bearing 110 distant 400 yards. 1102 Maneuvering on various courses and speeds to resume station #2 in screen 11C6. 1125 On station, guide bearing 120, distant 1500 yards. 1144 Proceeding to station #2 on circle 4.5. 1155 On station, guide bears 120, distant 4500 yards. B-1

M.A. ARNHEITER
LT USN

12-16 Steaming as before. 1330 C/S to 16 knots. 1348 C/S to 14 knots. 1349 C/C to 000, C/S to 12 knots. 1441 Maneuvering on various courses and speeds to take station with FORREST SHERMAN bearing 090, range 2000 yards. 1503 On station. 1528 Maneuvering on various courses at 20 knots to take station 4 in screen 11C6, guide is LEYTE bearing 060, range 4500 yards. 1544 On station, base course 180, speed 12 knots.

R.H. DAUS
LTJG USN

16-18 Steaming as before. 1615 C/C to 350, C/S to 15 knots. 1620 C/C to 160, C/S to 12 knots.

J.B. ROBERTS
ENS USNR

18-20 Steaming as before. 1920 Illuminated ship with deck-edge lights and lights on full-dress lines. 2000 C/C to 090. 2020 C/C to 160.

J.S. THURNEYSEN
LTJG USN

20-24 Steaming as before.

M.A. ARNHEITER
LT USN

APPROVED:

ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 25 DECEMBER 19 58

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	10	10	BKN	29.92	40	37	7	4000	CL	56	090	3
02	090	10	8	BKN	29.93	40	37	7	4000	CL	56	090	3
03	090	10	8	BKN	29.91	40	37	6	4000	CL	56	090	3
04	090	10	6	OVC	29.92	40	37	9	6000	CS	56	090	3
05	090	10	6	OVC	29.92	40	37	9	6000	CS	66	090	3
06	340	10	6	OVC	29.92	41	37	9	6000	CS	66	340	3
07	340	15	6	OVC	29.98	40	37	10	6000	CS	66	340	4
08	340	15	6	OVC	29.98	40	37	10	6000	CS	66	340	5
09	340	17	6	OVC	29.98	41	37	10	6000	CS	66	340	5
10	340	17	6	OVC	29.98	41	37	9	6000	CS	66	340	7
11	340	17	6	BKN	29.98	41	37	8	6000	CS	66	340	8
12	340	17	—	SNOW	29.98	41	38	10	6000	CS	60	340	8
13	340	20	—	SNOW	30.14	41	38	10	6000	CS	60	340	8
14	340	20	—	SNOW	30.16	41	38	10	6000	CS	60	340	7
15	340	20	—	SNOW	30.22	40	38	10	6000	CS	60	340	8
16	340	20	1	OVC	30.24	38	37	10	6000	CS	66	340	8
17	340	20	3	OVC	30.24	34	33	10	6000	CS	66	340	8
18	340	20	—	SNOW	30.28	34	33	10	6000	CS	66	340	8
19	340	20	3	BKN	30.34	36	33	7	6000	CS	66	340	8
20	340	20	3	BKN	30.36	36	33	7	6000	CS	66	340	7
21	340	20	3	OVC	30.38	38	35	10	6000	CS	66	340	6
22	340	20	3	OVC	30.38	38	35	10	6000	CS	66	340	6
23	340	18	3	OVC	30.38	38	35	9	6000	CS	66	340	6
24	340	16	5	OVC	30.36	35	35	9	6000	CS	66	340	4

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds	Type C_L	Height C_L Clouds	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(Coded)	(0-9)	(Coded)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
284.3

FUEL CONSUMED
0000-2400
11044

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Thursday (Day) 25 (Date) DEC (Month) 19 58

SMOOTH REMARKS CONTINUED

00-04 Steaming in company with TG 83.3 in accordance with COMCARDIV 18 Op-Order 11-58 on course 160 at speed 12 knots. This ship in station 4 of concentric circular screen 11C6 with guide USS LEYTE (CVS32) in station Ø, bearing 060, range 4500 yards. SOPA and OTC is COMCARDIV 18 embarked in LEYTE. Screen Commander is COMDESRON 10 embarked in USS FORREST SHERMAN (DD931). Condition of readiness four and Material condition Yoke is set.

R.H. DAUS
LTJG USN

04-08 Steaming as before. 0705 C/C to 340. 0725 C/S to 8 knots.

J.B. ROBERTS
ENS USNR

08-12 Steaming as before. 0800 Mustered the crew on stations; Absentees: None 0958 C/C to 325. 1013 Made daily inspection of magazines and smokeless powder samples; Conditions Normal.

J.S. THURNEYSEN
LTJG USN

12-16 Steaming as before.

M.A. ARNHEITER
LT USN

16-18 Steaming as before. 1705 C/C to 345.

ROBERT L. FALLIS
ENS USNR

18-20 Steaming as before.

J.B. ROBERTS
ENS USNR

20-24 Steaming as before.

J.S. THURNEYSEN
LTJG USN

APPROVED:

ROBERT M. POND, CDR, USN U.S.N. COMMANDING.

EXAMINED:

ROBERT L. FALLIS, ENS USNR U.S.N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE: 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 26 DECEMBER 19 58

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	340	15	6	OVC	30.36	35	33	10	6000	CS	66	340	3
02	340	15	6	OVC	30.37	35	33	10	6000	CS	66	340	3
03	290	15	6	OVC	30.37	35	33	10	6000	CS	66	290	3
04	290	15	6	OVC	30.38	35	33	10	6000	CS	66	290	3
05	265	12	6	BKN	30.40	33	33	9	6000	CS	66	265	3
06	265	10	6	BKN	30.40	33	31	9	6000	CS	66	265	3
07	265	10	8	SCT	30.42	38	35	5	6000	CS	66	265	2
08	265	10	8	SCT	30.44	42	37	5	6000	CS	66	265	2
09	265	10	9	SCT	30.44	42	37	5	6000	CS	66	265	2
10	265	10	10	SCT	30.46	48	37	5	6000	CL	66	265	1
11	265	10	10	SCT	30.44	48	39	6	6000	CL	66	265	1
12	340	10	10	SCT	30.41	38	35	4	6000	CL	60	340	1
13	340	10	10	SCT	30.42	40	37	4	6000	CL	60	340	1
14	340	10	10	SCT	30.43	38	37	4	6000	CL	60	340	1
15	340	10	10	SCT	30.40	38	35	4	6000	CL	52	340	1
16	340	8	8	BKN	30.42	36	35	7	6000	CL	52	340	1
17	280	8	6	BKN	30.42	35	33	7	6000	CL	52	280	1
18	280	8	8	BKN	30.43	35	33	7	6000	CL	52	280	1
19	280	8	8	BKN	30.42	35	33	7	6000	CL	52	280	1
20	280	8	8	BKN	30.41	37	33	7	6000	CL	52	280	1
21	280	8	8	BKN	30.41	38	33	7	6000	CL	52	280	1
22	280	6	8	BKN	30.39	39	33	6	6000	CL	52	280	1
23	280	6	7	BKN	30.39	39	35	6	6000	CL	52	280	1
24	280	6	7	BKN	30.39	39	35	6	6000	CL	52	280	1

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of Clouds C_L	Type C_L	Height C_L Clouds (Coded)	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(0-9)	(0-9)		(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
274.4

FUEL CONSUMED
0000-2400
10937

EXAMINED Robert L Sudler U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Friday (Day) 26 (Date) DEC (Month) 19 58

SMOOTH REMARKS—CONTINUED

00-04 Steaming in company with TG83.3 in accordance with COMCARDIV 18 Op-Order 11-58 on course 345 speed 8 knots, in station 4 of concentric circular screen 11C6 with guide USS LEYTE (CVS32) bearing 060, distant 4500 yards. OTC is COMCARDIV 18 in LEYTE. Screen Commander is COMDESRON 10 in USS FORREST SHERMAN (DD931). Condition of readiness four and material condition Yoke set.

M.A. ARNHEITER
LT USN

04-08 Steaming as before. 0418 Lost water pressure no. 4 boiler, lost electrical load aft, port engine stopped. 0419 Shifted to emergency diesel generator. 0431 Shifted control of steering aft. 0440 Electrical power restored by ships service generators, secured emergency diesel generator. 0445 Shifted control of steering to the pilot house. 0449 C/S to 10 knots, port engine back in operation. Maneuvering at various courses and speeds to regain station in circular screen 11C6. 0612 C/S to 12 knots. 0705 Received helo over fantail for personnel and guard mail transfer to HUNT and LEYTE, respectively. 0711 Helo departed. 0745 Mustered the crew on station; Absentees: None.

C.W. MORRILL 3rd
LTJG USNR

08-12 Steaming as before. 0803 C/C to 200. 0837 Maneuvering at various courses and speeds to take lifeguard station 1000 yards astern of USS LEYTE (CVS32) with USS ROAN (DD853) alongside to starboard for refueling. 0850 On station, replenishment course 025, speed 12 knots. 0953 ROAN fueling completed. All lines and hoses clear. Maneuvering at various courses and speeds to take plane guard station 2. 1002 On station, LEYTE bears 110, range 1500 yards, on course 180, speed 12 knots. 1050 C/C to 200. 1100 Made daily inspection of magazines and smokeless powder samples; Conditions: Normal. 1113 C/C to 020, C/S to 21 knots. Commenced flight operations. 1137 Secured flight operations, C/C to 340, C/S to 12 knots. Maneuvering at various courses and speeds to remain within 5000 yards west of LEYTE.

J.B. ROBERTS
ENS USNR

12-16 Steaming as before. 1200 Maneuvering on various courses and speeds to take station to east of Carrier in assigned ISE sector. 1230 C/C to 120, took station #1 in column with other units of DESRON 10 astern 1000 yards distance, COMDESDIV 102 OCE for ISE. 1310 Set condition 1, General Quarters. 1432 Commenced maneuvering on various courses and speeds in station #1 of a concentric circular screen on circle 2, during Z-2-G rehearsal runs. 1458 Formation shifted to circle 1.5. 1530 Completed Z-2-G rehearsal. 1539 Secured from General Quarters, set the regular steaming watch. 1545 C/S to 20 knots, set course 270 for proximity of carrier. 1548 USS CHARLES H. ROAN (DD853) detached.

M.A. ARNHEITER
LT USN

16-18 Steaming as before. 1602 Commencing approach on USS HUNT (DD674) for light line transfer, base course 140, speed 12 knots. Maneuvering at various courses and speeds while conducting mutual practice approaches with HUNT. 1700 Completed going-alongside exercises. 1710 C/C 090, C/S to 10 knots. Commenced taking station at various ranges on port beam of HUNT to conduct double echo checks, base course 090, speed 10 knots. Maneuvering on various courses and speeds. 1758 C/S to 15 knots, C/C to 000 to take station 12.5 miles from HUNT for exercise Z-1-T.

C.W. MORRILL 3rd
LTJG USNR

APPROVED: EXAMINED:

U.S.N. COMMANDING. U.S.N. NAVIGATOR.

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629) Friday (Day) 26 (Date) DEC (Month) 19 58

18-20 Steaming as before. 1823 On station for exercise Z-1-T. C/C to 090, C/S to 10 knots. 1837 General Quarters. Condition Zebra set. 1856 Commenced exercise Z-1-T, target ship is USS HUNT (DD674), bearing 180, range 12.5 miles. Maneuvering at various courses and speeds while conducting simulated torpedo attack on HUNT. 1928 On course 180, speed 18 knots to take station as target ship 12.5 miles fron HUNT. 1935 C/C to 000, C/S to 10 knots. 1945 C/C to 010, C/S to 20 knots. 1957 Exercise completed. Secure from General Quarters, steaming independently on course 295, speed 15 to rejoin TG 83.3.

J.B. ROBERTS
ENS USNR

20-24 Steaming as before. 2010 Maneuvering on various courses and speeds while rejoining units of TG 83.3. 2220 On station in a concentric circular screen around LEYTE, guide, bearing 060, range 4500 yards. This ship in station 4 of an 11C6 screen, axis 000, base course 170, base speed 12 knots. OTC is COMCARDIV 18 in LEYTE, Screen Commander is COMDESRON 10 in FORREST SHERMAN.

M.A. ARNHEITER
LT USN

APPROVED:

ROBERT M. POND, CDR, USN U.S.N. COMMANDING.

EXAMINED:

ROBERT L. FALLIS, ENS, USNR U.S.N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 22 DECEMBER 19 58

AT/PASSAGE FROM NEWPORT, RI. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	265	4	–	SCT	30.40	42	38	6	6500	SC	52	265	1
02	280	6	–	BKN	30.40	44	39	8	6500	SC	52	280	1½
03	275	6	–	SCT	30.40	44	39	7	6500	SC	52	275	1½
04	275	6	10	SCT	30.40	44	39	2	6000	CL	66	275	–
05	275	6	10	CLR	30.40	45	40				66	275	–
06	275	5	10	CLR	30.40	46	42				66	275	–
07	275	5	10	CLR	30.40	46	42				66	275	–
08	275	5	10	CLR	30.40	49	42				66	275	–
09	275	5	10	CLR	30.38	53	50				67	275	–
10	275	5	10	CLR	30.38	51	50				67	275	–
11	260	5	10	CLR	30.36	52	50				67	260	–
12	250	5	10	CLR	30.34	54	56				67	250	–
												260	
13	250	4	10	CLR	30.34	54	50				66	250	–
14	250	4	10	CLR	30.34	56	52				66	250	–
15	250	4	10	CLR	30.34	57	53				66	250	–
16	250	4	10	CLR	30.34	56	53				66	250	–
17	250	6	10	CLR	30.32	56	53				66	250	–
18	250	4	10	CLR	30.30	55	53				66	250	–
19	250	4	10	CLR	30.31	54	53				66	250	–
20	250	4	–	CLR	30.31	54	50				66	250	–
21	250	4	–	SCT	30.31	54	50	4	6500	SC	66	250	–
22	250	4	–	SCT	30.31	54	50	4	6500	SC	66	250	–
23	250	4	–	SCT	30.31	54	50	4	6500	SC	66	250	–
24	250	4	10	CLR	30.30	54	54				66	250	–

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds	Type C_L	Height C_L Clouds	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(Coded)	(0-9)	(Coded)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

279.5

FUEL CONSUMED 0000-2400

15062

EXAMINED Robert L Sellis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Saturday (Day) 27 (Date) DEC (Month) 19 58

SMOOTH REMARKS—CONTINUED

00-04 Steaming in company with Task Group 83.3 in accordance with COMCARDIV 18 Op-Order 11-58 on base course 170, speed 12 knots knots. This ship in station 4 of concentric circular screen 1106 axis 000, with guide USS LEYTE (CVS32) in station Ø, bearing 060, range 4500 yards. SOPA and OTC is COMCARDIV 18 in LEYTE. Screen Commander is COMDESRON 10 in USS FORREST SHERMAN (DD931). Condition of readiness four and material condition Yoke set.

C.W. MORRILL 3rd
LTJG USNR

04-08 Steaming as before. 0530 C/C to 090. 0621 C/C to 120. 0626 C/C 150. 0711 COMDESDIV 102 in ABBOT became screen Commander. 0745 Mustered the crew at quarters; Absentees: None.

J.B. ROBERTS
ENS USNR

08-12 Steaming as before. 0802 C/S to 25 knots for carrier flight operations. 0821 C/S to 12 knots, flight operations completed. 0822 C/C to 340. 0824 Assumed life guard station astern HUNT and LEYTE, base course 340, base speed 12 knots. 0914 Maneuvering on various courses and speeds to take station for ECM exercise. 0928 On station 4000 yards bearing 250 from LEYTE, base course 340, base speed 12 knots. 0930 Commenced Z-11-CM and Z-12-CM exercise. 1030 Completed exercise Z-11-CM and Z-12-CM. 1045 Maneuvering on various courses and speeds to assume refueling station starboard side of LEYTE. 1105 Alongside LEYTE, port side to, base course 340, base speed 12 knots. Commenced refueling. 1150 Completed refueling, having received 47000 gallons NSFO, maneuvering on various courses and speeds to take station 2000 yards on LEYTE's starboard beam. 1155 Made daily inspection of magazines and smokeless powder samples; Conditions Normal.

M.A. ARNHEITER
LT USN

12-16 Steaming as before. 1200 On station 2000 yards bearing 070 from LEYTE, came to course 340, speed 12 knots. 1220 Flight quarters, ~~received COMDESRON 10 and Staff Officer from helicopter~~. 1307 C/C to 030, assumed station # 1 in a circular screen on circle 1.5. COMDESDIV 102 OCE for target acquisiton exercise Z-2-G. 1324 C/C to 090. 1325 C/S to 15 knots. 1326 General Quarters. 1340 Commenced exercise Z-2-G, maneuvering on various courses and speeds throughout exercise.

M.A. ARNHEITER
LT USN

16-18 Steaming as before. 1615 Exercise Z-2-G completed. Secure from General Quarters. Maneuvering at various courses and speeds to take station 2 in formation 1. USS HUNT (DD674) is the guide in station 1. 1626 On station, guide bears 180, range 1000 yards. Formation on course 180, speed 15 knots, steaming to rejoin units of TG 83.3 at rendezvous point. Formation on course 000, speed 12 knots. 1637 C/C to 210. 1710 Maneuvering at various courses and speeds to take station 3 in circular screen formation 1106. 1722 On station, guide is USS LEYTE (CVS32) in station Ø bearing 240, range 4500 yards.

J.B. ROBERTS,
ENS USNR

18-20 Steaming as before.

M.A. ARNHEITER
LT USN

20-24 Steaming as before.

C.W. MORRILL, 3rd
LTJG USNR

APPROVED:

ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 28 DECEMBER 19 58

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	250	4	10	CLR	30.31	54	50	—	—	—	66	250	—
02	250	4	10	CLR	30.30	54	50	—	—	—	66	250	—
03	250	4	10	CLR	30.29	54	50	—	—	—	66	250	—
04	250	4	10	SCT	30.28	54	50	2	6000	CL	66	250	—
05	250	5	8	SCT	30.27	55	50	3	6000	CL	66	250	—
06	155	5	8	SCT	30.25	56	50	2	6000	CL	66	155	—
07	155	3	8	SCT	30.25	57	52	2	6000	CL	66	155	—
08	100	3	8	BKN	30.26	59	55	9	6000	SC	66	100	—
09	100	3	8	BKN	30.26	59	55	9	6000	SC	67	100	—
10	120	4	8	OVC	30.26	57	53	10	6000	SC	67	120	—
11	120	4	8	OVC	30.26	57	53	10	6000	SC	67	120	—
12	120	4	8	OVC	30.26	57	53	10	6000	SC	67	120	—
13	120	8	8	BKN	30.23	58	54	7	6000	SC	67	120	—
14	120	8	8	BKN	30.23	60	54	6	6000	CS	66	120	1
15	120	10	8	BKN	30.24	60	54	6	6000	CS	66	120	1
16	060	10	8	BKN	30.27	56	50	7	6000	CS	66	060	1
17	060	12	6	OVC	30.24	53	50	9	6000	CS	63	060	1
18	060	12	6	OVC	30.27	48	44	10	6000	CL	59	060	1
19	060	12	7	OVC	30.29	48	44	10	6000	CL	59	060	1
20	060	15	7	OVC	30.30	46	42	10	6000	CL	59	060	1
21	060	15	7	OVC	30.30	46	42	10	6000	CL	59	060	1
22	060	15	7	OVC	30.25	45	41	10	6000	CL	59	060	1
23	070	17	7	OVC	30.22	45	45	10	6000	CL	59	070	2
24	070	12	6	OVC	30.20	45	41	10	6000	CL	66	070	3

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS					
		Octant	Latitude	Longitude	GMT	Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff See Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
281.9

FUEL CONSUMED
0000-2400
17665

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Sunday (Day) 28 (Date) DEC (Month), 19 58

SMOOTH REMARKS—CONTINUED

00-04 Steaming in company with TG 83.3 off the U.S. Atlantic coast in accordance with COMCARDIV 18 Op-Order 11-58. This ship in station 3 of circular screen formation 11C6 with guide USS LEYTE (CVS32) in station Ø bearing 240, range 4500 yards. Formation course 000, speed 12 knots. SOPA and OTC is COMCARDIV 18 in LEYTE. Screen Commander is COMDESRON 10 in USS FORREST SHERMAN (DD931) in station 6. Condition of readiness three and material condition Yoke set. 0030 C/C to 180.

J.B. ROBERTS
ENS USNR

04-08 Steaming as before. 0729 Flight quarters; received helicopter for guard mail transfer. 0731 Secured from flight quarters.

M.A. ARNHEITER
LT USN

08-12 Steaming as before. 0800 Mustered the crew on stations; Absentees: None. 0825 Received LEYTE helicopter over fantail with U.S. Mail. 0840 C/C to 000. 0848 USS FORREST ROYAL (DD872) became formation guide in station 2, guide bears 270, range 7800 yards. 0915 Received helicopter over fantail for personnel transfers. 1000 Made daily inspection of magazines and smokeless powder samples; Conditions: Normal.

C.W. MORRILL 3rd
LTJG USNR

12-16 Steaming as before. 1216 C/C to 090. 1228 ~~Commanding Officer~~ Captain and COMDESDIV 102 transferred by helicopter to USS LEYTE (CVS32). 1241 C/C to 045. 1310 C/C 000. 1505 C/C 090. 1230 Commanding Officer USS FORREST SHERMAN (DD931) assumed command of screen. 1513 ~~Commanding Officer~~ Captain and COMDESDIV 102 returned to ship by heliocopter. 1520 C/C to 000. COMDESRON 10 in SHERMAN resumed command of screen. 1539 LEYTE became guide, bearing 240, range 4500 yards.

J.B. ROBERTS
ENS USNR

16-18 Steaming as before.

M.A. ARNHEITER
LT USN

18-20 Steaming as before. 1900 C/C to 180

J.S. THURNEYSEN
LTJG USN

20-24 Steaming as before. 2300 C/C to 010.

J.B. ROBERTS
ENS USNR

APPROVED:

ROBERT M. POND, CDR, USN U.S.N. COMMANDING.

EXAMINED:

ROBERT L. FALLIS, ENS, USNR U.S.N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____

(*Day*) (*Date*) (*Month*)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5D DATE 29 DECEMBER 1958

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	20	6	OVC	30.20	52	47	10	5000	CL	66	070	3
02	070	20	6	OVC	30.20	50	47	10	5000	CL	66	070	3
03	070	20	6	OVC	30.20	49	47	10	5000	CL	66	070	3
04	070	20	6	OVC	30.22	48	44	10	6000	CL	65	070	3
05	070	20	6	OVC	30.25	47	43	10	6000	SC	62	070	3
06	070	20	6	OVC	30.27	46	42	9	6000	SC	60	070	3
07	070	20	6	OVC	30.28	45	41	8	6000	SC	57	070	3
08	070	17	7	OVC	30.29	45	41	10	6000	CS	57	070	3
09	070	20	6	OVC	30.30	45	41	10	6000	CS	57	070	3
10	070	20	6	OVC	30.32	41	39	10	6000	CS	57	070	3
11	070	20	6	OVC	30.32	41	39	10	6000	CS	57	070	3
12	070	20	6	OVC	30.30	42	39	10	6000	CS	56	070	2
13	070	20	6	OVC	30.28	42	39	10	6000	CS	56	070	1
14	070	15	6	OVC	30.28	42	39	10	6000	CS	56	070	1
15	070	12	6	OVC	30.28	40	39	10	6000	CS	56	070	1
16	070	12	6	OVC	30.29	45	39	10	6000	CS	56	070	1
17	070	15	6	OVC	30.29	40	38	10	6000	CS	56	070	3
18	070	15	6	OVC	30.22	38	34	10	6000	CS	56	070	3
19	070	15	6	OVC	30.18	36	34	10	6000	CS	56	070	3
20	070	15	6	OVC	30.10	38	34	10	6000	CS	56	070	3
21	070	20	6	OVC	30.06	40	34	10	6000	CS	56	070	4
22	070	25	6	OVC	29.99	43	37	10	6000	CS	56	070	4
23	070	25	6	OVC	29.96	45	37	10	6000	CS	56	070	4
24	070	25	6	OVC	29.96	45	37	10	6000	CS	54	070	8

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of Clouds C_L	Type C_L	Height C_L Clouds	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(Coded)	(0-9) L	(Coded)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	e	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400
231.6

FUEL CONSUMED
0000-2400
9128

EXAMINED Robert L Sells U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Monday (Day) 29 (Date) DEC (Month) 19 58

SMOOTH REMARKS—CONTINUED

00-04 Steaming in company with Task Group 83.3 in accordance with COMCARDIV 18 Op-Order 11-58 on base course 010, speed 12 knots. This ship is in station 3 of concentric circular screen 1106 on circle 4.5 axis 000, with guide, USS LEYTE (CVS32) in station Ø, bearing 240, range 4500 yards. SOPA and OTC is COMCARDIV 18 in LEYTE. Screen Commander is COMDESRON 10 in USS FORREST SHERMAN (DD931). Condition of readiness four and material condition Yoke set. 0041 C/C to 015. 0047 C/S to 13 knots. 0235 C/C to 030. 0255 C/C to 015.

C.W. Morrill 3rd

C.W. MORRILL 3rd
LTJG USNR

04-08 Steaming as before. 0700 Detached from formation to conduct ISE in sector BRAVO, USS FORREST SHERMAN (DD931) at origin 5 miles east of PIM (C005, 512). 0705 C/C to 070, C/S to 12 knots. 0723 C/C to 020.

M.A. Arnheiter

M.A. ARNHEITER
LT USN

08-12 Steaming as before. 0745 Mustered the crew on stations; Absentees: None. 0754 C/C to 015. 0815 C/C to 000, speed 13 knots. 0835 C/C 010. 0903 Made daily inspection of magazines and smokeless powder samples; Conditions: Normal. 0905 C/C to 035. 0936 C/C to 015. 0950 C/C to 000. 1023 C/S to 10 knots. 1055 C/S to 9 knots.

J. S. Thurneysen

J.S. THURNEYSEN
LTJG USN

12-16 Steaming as before. 1217 C/C to 090. 1250 Maneuvering at various courses and speeds to take station 2 in formation 1. 1305 On station, guide is USS FORREST SHERMAN (DD931) in station 1 bearing 070, range 1000 yards. Formation course 070, speed 9 knots. 1323 Commenced squadron tactical exercises, steering various courses and speeds on signals from COMDESRON 10 in FORREST SHERMAN.

J.B. Roberts

J.B. ROBERTS
ENS USNR

16-18 Steaming as before. 1645 Completed squadron tactics. Proceeding at various courses and speeds to take station 2 in circular formation 1106. 1657 On station, guide is USS LEYTE (CVS32) in station Ø, bearing 120, range 4500 yards. Base course 180, base speed 10 knots.

Robert L Fallis

ROBERT L. FALLIS
ENS USNR

18-20 Steaming as before.

M.A. Arnheiter

M.A. ARNHEITER
LT USN

20-24 Steaming as before. 2005 C/C to 210. 2025 C/C to 240. 2103 C/C to 255. 2118 C/C to 230. 2205 C/C to 150. 2323 C/C to 130. 2335 C/C to 115. 2347 C/C to 065. 2355 C/C to 035.

Robert L Fallis

ROBERT L. FALLIS
ENS USNR

APPROVED:

Robert M. Pond

ROBERT M. POND, CDR, USN U.S.N. COMMANDING.

EXAMINED:

Robert L Fallis

ROBERT L. FALLIS, ENS, USNR U.S.N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE: 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____

(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING.

EXAMINED:

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 30 DECEMBER 1958

AT/PASSAGE FROM NEWPORT, R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	25	5	OVC	29.92	45	41	10	6000	CS	54	070	10
02	070	25	5	OVC	29.92	45	41	10	6000	CS	54	070	10
03	070	25	5	OVC	29.94	45	41	10	6000	CS	54	070	10
04	070	25	5	OVC	29.92	43	40	10	6000	CS	54	070	10
05	070	25	5	OVC	29.92	45	45	10	6000	CS	54	070	10
06	070	25	5	OVC	30.00	45	45	10	6000	CS	54	070	10
07	340	25	5	OVC	30.00	42	40	10	6000	CS	54	340	7
08	340	25	3	OVC	30.01	40	38	10	6000	CS	54	340	5
09	340	25	3	OVC	30.02	40	37	10	6000	CS	54	340	3
10	340	25	3	OVC	30.04	45	37	10	6000	CS	54	340	3
11	340	15	5	OVC	30.05	46	40	10	6000	CS	54	340	3
12	080	10	7	BKN	30.07	48	48						
13	080	10	7	BKN	30.07	48	47						
14	080	10	7	BKN	30.07	48	47						
15	080	10	6	BKN	30.07	48	47						
16	080	10	6	BKN	30.06	48	47						
17	080	8	6	BKN	30.06	48	47						
18	080	5	6	BKN	30.08	48	47						
19	080	5	6	BKN	30.10	48	47						
20	080	5	6	BKN	30.12	45	43						
21	080	5	6	BKN	30.12	45	43						
22	100	5	6	BKN	30.11	45	43						
23	100	5	6	BKN	30.11	75	43						
24	100	5	6	BKN	30.12	40	39						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of Clouds C_L	Type C_L	Height C_L Clouds	Type C_M	Type C_H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)		(0-9)	(Coded)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400

176.3

FUEL CONSUMED 0000-2400

8309

EXAMINED Robert D. Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Tuesday (Day) 30 (Date) DEC (Month) 19 58

SMOOTH REMARKS—CONTINUED

00-04 Steaming in company with Task Group 83.3 in accordance with COMCARDIV 18 Op-Order 11-58 in Narragarrsett Bay operating Area. This ship in station 2 of circular screen formation 11C6 with USS LEYTE (CVS32) the guide in station Ø bearing 120, range 4500 yards. Formation course 035, speed 8 knots. SOPA and OTC is COMCARDIV 18 in LEYTE. Screen Commander is COMDESRON 10 in USS FORREST SHERMAN (DD931) in station 1. Condition of readiness four and material condition Yoke set. 0150 C/C to 090. 0205 C/C to 030. 0300 C/C to 020.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

04-08 Steaming as before. 0404 C/C to 000. 0502 C/C 010. 0615 C/C to 000. 0710 C/C to 015.

C.W. Morrill 3rd
C.W. MORRILL 3rd
LTJG USNR

08-12 Steaming as before. Mustered the crew on station; Absentees: None. 0821 C/C to 180. 0839 C/C to 165. 0929 C/C to 010. 0938 C/C to 335. 0948 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 0955 Maneuvering at various courses and speeds to station 2 in column formation. 1015 On station, guide is USS FORREST SHERMAN (DD931), bearing 000, range 1000 yards, base course 000, speed 12 knots. 1031 C/C 295 1040 Maneuvering on various courses and speeds while proceeding into port. 1055 Commenced sounding fog signals. 1200 Ceased sounding fog signals. 1202 Pilot R.H. DONNEL came aboard. 1203 Maneuvering at various courses and speeds while making approach to pier 2. 1211 Moored port side to USS FORREST SHERMAN (DD931) in berth 242 pier 2, Newport, Rhode Island with standard destroyer mooring lines. SOPA is COMDESLANT in USS YOSEMITE (AD19). 1213 Pilot departes ship.

Robert L Fallis
ROBERT L. FALLIS
ENS USNR

12-16 Moored as before. 1215 Captain departed on 10 days leave. 1222 USS SAMUEL B. ROBERTS (DD823) moored alongside to starboard. 1245 USS CHARLES H. ROAN (DD853) moored alongside ROBERTS to starboard. 1311 USS FORREST ROYAL (DD872) moored alongside CHARLES H. ROAN to starboard. 1408 USS HUNT (DD674) moored alongside FORREST ROYAL to starboard.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

16-20 Moored as before. 1813 Commenced taking on fuel from(YO177), moored outboard of HUNT. 1855 Fueling completed, having received 20, 785 gallons of Navy Special Fuel Oil.

J. S. Thurneysen
J.S. THURNEYSEN
LTJG USN

20-24 Moored as before.

R. S. Stoddart
R.S. STODDART
ENS USN

APPROVED:

Robert M. Pond
ROBERT M. POND, CDR, USN U. S. N. COMMANDING.

EXAMINED:

Robert L Fallis
ROBERT L. FALLIS, ENS, USNR U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(Day) (Date) (Month)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 31 DECEMBER 1958

AT/PASSAGE FROM NEWPORT R.I. TO

TABLE I

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	12	6	CLR	30.22	40	38						
02	100	12	6	SCT	30.26	39	38						
03	100	12	6	OVC	30.28	39	38						
04	100	10	6	OVC	30.30	35	33						
05	100	8	6	CLR	30.30	35	33						
06	100	8	6	CLR	30.30	35	33						
07	100	8	6	CLR	30.35	33	31						
08	010	10	8	CLR	30.38	31	30						
09	000	10	8	CLR	30.40	31	30						
10	010	10	8	CLR	30.39	31	30						
11	000	10	10	CLR	30.48	33	31						
12	010	10	10	CLR	30.40	40	39						
13	010	10	10	CLR	30.40	40	39						
14	010	10	10	CLR	30.40	41	39						
15	010	10	10	CLR	30.40	39	39						
16	040	10	10	CLR	30.40	38	37						
17	040	10	8	CLR	30.40	38	37						
18	040	10	8	CLR	30.40	38	37						
19	040	10	8	CLR	30.40	38	37						
20	045	10	7	CLR	30.41	38	37						
21	045	10	7	CLR	30.41	38	37						
22	045	10	7	CLR	30.40	37	35						
23	035	8	7	CLR	30.40	36	35						
24	045	4	7	CLR	30.38	37	35						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visibility	WEATHER		PRESSURE	Air Temp	CLOUDS				
		Octant	Latitude	Longitude	GMT		Direction	Speed		Present	Past	Barometer Corrected		Amount of C_L Clouds (Coded)	Type C_L (0-9)	Height C_L Clouds (Coded)	Type C_M (0-9)	Type C_H (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	$L_aL_aL_a$	$L_oL_oL_o$	GG	N	dd	ff	VV	ww	W	PPP	TT	N_h	C_L	h	C_M	C_H

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height		°F	°F	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D_s	v_s	a	pp	8	N_s	C	h_sh_s	0	T_sT_s	T_dT_d	1	d_wd_w	P_w	H_w	1	d_wd_w	P_w	H_w	c_2	K	D_i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED 0000-2400
IN PORT

FUEL CONSUMED 0000-2400
IN PORT

EXAMINED Robert L Sallis U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Wednesday 31 December 19 58
(Day) (Date) (Month)

~~SMOOTH REMARKS CONTINUED~~

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard mooring lines in a nest of six destroyers at Pier Two, Newport, R.I. USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872) and USS HUNT (DD674) moored alongside to starboard in that order. Ships present include various units of the U.S. Atlantic Fleet. SOPA is COMDESLANT in USS YOSEMITE (AD19).

R. S. STODDART
ENS USN

04-08 Moored as before.

J. S. THURNEYSEN
LTJG USN

08-12 Moored as before. 0745 Mustered the crew at quarters. Absentees: None. 0930 Made daily inspection of magazines and smokeless powder samples. Conditions normal. Made weekly test of magazine sprinkling and flooding system. Test satisfactory with exception of group one. Unable to test group one because flapper valve was disconnected from shaft. 1140 Commenced taking on feed water from FORREST SHERMAN.

ROBERT L. FALLIS
ENS USNR

12-16 Moored as before. 1215 Secured from taking on feed water having received 5000 gallons of water.

ROBERT L. FALLIS
ENS USNR

16-20 Moored as before.

ROBERT L. FALLIS
ENS USNR

20-24 Moored as before.

ROBERT L. FALLIS
ENS USNR

APPROVED:

ROBERT M. POND, CDR, U. S. N. COMMANDING.

EXAMINED:

ROBERT L. FALLIS, ENS U. S. N. R NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O—408254

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP _____

_____, 19____
(Day) (Date) (Month)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING.

_____ U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH